

10/20/99 1c713 U.S. PTO

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: WINTER ET AL.
Docket: 8567.72US01
Title: METHOD AND SYSTEM FOR FACILITATING, COORDINATING AND MANAGING A COMPETITIVE MARKETPLACE

1c511 U.S. PTO
09/21/13
10/20/99

CERTIFICATE UNDER 37 CFR 1.10

'Express Mail' mailing label number EL454950132US

Date of Deposit: October 20, 1999

I hereby certify that this paper or fee is being deposited with the United States Postal Service 'Express Mail Post Office To Addressee' service under 37 CFR 1.10 and is addressed to the Assistant Commissioner for Patents, Washington, D C 20231

By Jackie Solomon
Name: Jackie Solomon

BOX PATENT APPLICATION
Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

We are transmitting herewith the attached:

- ☒ Transmittal sheet, in duplicate, containing Certificate under 37 CFR 1.10.
- ☒ Utility Patent Application: Spec. 34 pgs; 41 claims; Abstract 1 pgs.:
- ☒ 82 sheets of informal drawings
- ☒ An unsigned Combined Declaration and Power of Attorney
- ☒ Return postcard
- ☒ **PAYMENT OF THE FILING FEE IS BEING DEFERRED.**

MERCHANT & GOULD P.C.
3100 Norwest Center, Minneapolis, MN 55402
(612) 332-5300

By: Natalie D. Kadievitch
Name: Natalie D. Kadievitch
Reg. No.: 34,196
Initials: NDK:PSTkaw

**METHOD AND SYSTEM FOR FACILITATING,
COORDINATING AND MANAGING A COMPETITIVE MARKETPLACE**

5

Field of the Invention

The present invention is directed to a method and system for facilitating, coordinating
10 and managing a competitive marketplace and, more particularly, a method and system for
facilitating, coordinating and managing a competitive energy market using the Internet.

Background of the Invention

15 In recent years, the Federal Energy Regulatory Commission and other regulators have
been mandating the deregulation and restructuring of the electricity industry in the United
States. This follows a similar restructuring of the telecommunications industry and other
regulated industries over the last two decades. It has become apparent to consumers, regulators,
and industry experts alike that the electricity industry no longer fits the natural monopoly
20 model that has thus far existed in this country, and that a new competitive model is necessary
for the continued growth and health of this industry.

The restructuring of the electricity industry has driven significant change within the
industry. Most significant of these changes are the separation of the physical flow of electricity
from its financial flow, and the introduction of retail and wholesale competition. With the
25 introduction of new types of transactions, the establishment of new markets, and the emergence
of new market players, there is a growing need for a system and method to coordinate and
manage this competitive marketplace.

The physical flow of electricity remains substantially unchanged from the traditional
utility model. Electricity is still generated, transmitted over transmission and distribution wires,
30 and consumed by end-users. In the traditional model of the electric industry, the money is
routed through the same organizations as the electricity itself. In the new marketplace,
however, transactions become considerably more complex. Money may trade hands several
times and there may be any number of financial instruments related to a single physical
delivery of energy. This suggests a need for additional capabilities to facilitate, coordinate and

manage the increasing number and complexity of these financial transactions. FIG. 1 illustrates the separation of physical and financial flows concerning electricity in the new competitive marketplace. It can be seen from FIG. 1 that while the physical flow of electricity remains unchanged, the financial flow is now from the consumers to the energy merchant and onto the producers.

With ownership of physical infrastructure no longer a prerequisite for entering the energy marketplace, many new entities have begun to participate in the electricity trade. Also, utilities have begun to divest and separate their generation from their transmission and distribution. As a result, with reference to FIG. 2, the electricity marketplace must now accommodate producers such as generation companies; deliverers such as transmission distribution companies, and regional transmission groups; energy merchants such as energy traders, power marketers; and other new entities. Each organization within the industry may have any number of customers, but only in some cases is this customer the end-user or “consumer” of the electricity. In all cases, however, the various organizations must exchange information, money, energy, and energy-related services. The industry faces many challenges in facilitating, coordinating and managing the interactions of all of these new and transformed entities.

From this perspective, the area that has probably seen the most dramatic change over the last few years is the central operator. A central operator is a broad term grouping a variety of organizations that lie at the center of the value chain, as shown in FIG. 2. It describes the collective functions that facilitate, coordinate and manage the activities of participants in the electricity marketplace.

The traditional central operator's role has been to operate the transmission system, usually as a small division of a large utility or power pool (e.g., New England Power Pool). This is sometimes known as a system operator function. The system operator is responsible for planning, scheduling and dispatching generation; managing the interconnected transmission grid; and ensuring short-term and long-term system reliability. In the past, power pools, reliability councils, and traditional vertically integrated utilities have handled these tasks through coordinated efforts. In the competitive marketplace, however, the central operator has

emerged as a leading alternative to support the combined roles and responsibilities of these traditional organizations.

Under deregulation, the roles played by central operators have expanded from coordinating the safe and reliable operation of a power system to implementing market rules, facilitating physical and financial transactions, and serving as a gatherer and central coordinator of market information. This is sometimes referred to as a market operator function.

As a market operator, the central operator may be responsible for conducting an auction of energy and accepting and managing competitive bids and contracts for energy and ancillary services. It provides for the financial settlement of energy and ancillary service markets, including billing and clearance for market trading.

To address the changing face of the energy marketplace, it is desirable to provide a system and method of facilitating, coordinating and managing the operation of that marketplace that is simple to use, manages competitive bids and contracts and financially settles the marketplace.

It is also desirable to provide a system that is flexible and can be modified to accommodate market growth and changing business rules.

SUMMARY OF THE INVENTION

According to a first aspect of the present invention there is provided a method of facilitating, managing and coordinating the operation of a competitive marketplace using the Internet. The method includes the steps of collecting bids for market services from a plurality of customers over the Internet, calculating a clearing price for a market service and calculating settlement information based upon the clearing price calculated and the bids collected.

According to a second aspect of the invention there is provided a system for managing and coordinating the operation of a competitive energy marketplace. The system includes a power system component that represents a network model of a physical power system including generating units, load facilities, transmission lines, and network areas. In addition, the system includes a customer component that manages all information about entities that have a business relationship with a market operator. The power system component and customer component are operatively coupled to a market operator to receive data from the market operator. The system includes a bid component that enables customers to submit bids for energy services and

a meter reading component that stores meter readings submitted by customers. The bid component and meter reading component are operatively coupled to customers. A settlement component financially settles all markets based upon meter readings, operational information, bids and clearing prices. The settlement component is operatively coupled to the power system, customer, bid and meter reading components to receive data therefrom. A bill component operatively coupled to receive data from the customer and settlement components summarizes the financial activity for each customer to be used on an invoice for services provided and/or received.

According to a third aspect of the invention, there is provided a method of facilitating, managing and coordinating the operation of a competitive marketplace using the Internet. The method includes the steps of collecting bid and contract information for market services from a plurality of customers. The operation of units is then scheduled to provide the market services according to the bid and contract information collected. The operation of the units scheduled is next deployed and meter reading information from the units scheduled is collected. The market is then settled in accordance with the bid, contract and meter reading information collected.

According to a fourth aspect of the present invention, there is provided a computer program embodied on a computer readable medium for interfacing with a competitive marketplace. The computer program includes code for collecting bids for market services from a plurality of customers over the Internet, code for calculating a clearing price for a market service, and code for calculating settlement information based upon the clearing price calculated and the bids collected.

According to a fifth aspect of the present invention, there is provided an article of manufacture for facilitating the operation of a competitive marketplace. The article of manufacture includes a computer readable medium having a management interface for collecting bids for market services from a plurality of customers over the Internet, calculating a clearing price for a market service, and calculating settlement information based upon the clearing price calculated and the bids collected.

According to a sixth aspect of the present invention, there is provided a market information publishing component that supplies a variety of internal and external customer informational needs. More particularly, the market publishing component includes two

independent components, a database population component and a report generation component. The database population component reorganizes data from many different sources into a common repository designed to suit customers' needs. The report generation component is then called upon whenever a customer requires a pre-defined report wherein the report generation component takes data from the database population component.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a schematic illustrating the separation of physical and financial flows in a competitive electricity marketplace.

FIG. 2 is a schematic illustrating the participants in a competitive marketplace.

FIG. 3 is a schematic of a business model that implements the present invention according to a preferred embodiment of the present invention.

FIG. 4 is the home page display screen according to a preferred embodiment of the present invention.

FIGs. 5-19 are various display screens for the bid component according to a preferred embodiment of the present invention.

FIGs. 20-31 are various display screens for the contract component according to a preferred embodiment of the present invention.

FIGs. 32-40 are various display screens for the customer component according to a preferred embodiment of the present invention.

FIGs. 41-53 are various display screens for the power system component according to a preferred embodiment of the present invention.

FIGs. 54-59 are various display screens for the batch scheduler component according to a preferred embodiment of the present invention.

FIGs. 60-69 are various display screens associated with the settlement component according to a preferred embodiment of the present invention.

FIGs. 70-72 are various display screens associated with the bill component according to a preferred embodiment of the present invention.

FIGs. 73-76 are various display screens associated with the meter reading component according to a preferred embodiment of the present invention.

FIGs. 77-78 are schematics illustrating the technical architecture according to a preferred embodiment of the present invention.

FIGs. 79-82 are schematics illustrating various features of the application architecture according to a preferred embodiment of the present invention.

DETAILED DESCRIPTION

Facilitating, coordinating and managing the day-to-day operations of a competitive marketplace, such as the electricity market, is a complex task. While the present invention will be described in the context of managing an electricity marketplace, the present invention is not limited to such a market and may be applied to manage other competitive markets, such as a natural gas market. The facilitation, coordination and management of the day-to-day operation of the market are, for the most part, performed by a market operator and a system operator. The market operator conducts an auction for energy and ancillary services, collects contracts and bids for energy and ancillary services and provides for the financial settlement of the markets, including billing and clearance for market trading. Often, the market is settled in hourly or even sub-hourly trading intervals and the market operator must collect, coordinate, and distribute a vast amount of market information. The system operator takes information provided by the market operator and creates a dispatch schedule. The system operator uses the dispatch schedule to direct generators to operate their units accordingly.

The market operator is typically operating a spot market. The spot market is the core of a competitive electricity marketplace. The spot market is the mechanism responsible for setting the value of electricity or some ancillary service in an interval of time and facilitates the efficient operation of the physical power system. The actual operation of the spot market will vary depending on the prevailing market rules and procedures. However, in a pool model, the context in which the present invention will be described, the market will typically operate as follows.

In a pool model, generally, all producers generate into a common pool of energy and all customers take out of the same pool. Generators decide for themselves when they would like to commit their plant to generate electricity and bid each day for the opportunity to run their plant. In general, a bid consists of several bid blocks, including a price and a quantity for each trading

interval of the day. In addition, bids can be submitted for ancillary services such as energy reserve or capability. The bid process can be generalized for any market service or commodity.

Bids may also be submitted by consumers of electricity. These demand-side bids of price and quantity represent the amount of load the consumer is willing to shed based on price.

- 5 For example, a large industrial consumer may see economic benefits by reducing production levels at a large manufacturing plant if the spot price for electricity is high. Loads that bid their demand are often called dispatchable loads because the load is dispatched based on price. Additionally, customers submit other relevant forecasts about the characteristics and behavior of their units or dispatchable loads during the bidding process. Examples include high and low
- 10 operating limits, the seasonal capability of units and scheduled maintenance outages.

- The system operator addresses reliability concerns and often publishes a dispatch schedule that also takes into consideration additional information such as historical power system performance, weather forecasts, projected supply shortages, system maintenance and fuel costs, for example. The system operator uses the schedule to direct generators to load their
- 15 units accordingly. At the actual time of dispatch, the generator with the lowest price bid will be dispatched first, with each subsequent generator dispatched as required until supply matches demand. Ancillary services are also designated as required to maintain real-time system reliability and stability.

- The spot price, or clearing price, is equal to the lowest possible price at which supply
- 20 meets demand. Preferably, the spot price is determined “ex-post”, i.e., after the dispatch process. The final clearing prices in the pool are determined by what actually happens on the trading day, not what was projected at the time the original schedule was published. Alternatively, the spot price can be determined at the time the original schedule is published. This pricing information is shared with the market operator for settlement purposes. More
- 25 particularly, once bids have been submitted and the bid deadline has passed, the system operator performs a unit commitment process. Unit commitment involves taking all of the bids, stacking them from lowest price to highest price and determining an economic merit order that should be followed at the time of dispatch. For example, Table 1, shown below, illustrates a bid stack for hour 10 of the next day.

<u>QUANTITY</u>	<u>PRICE</u>	<u>ASSET</u>
100 MWh	\$50/MWh	Gen. Unit C
200 MWh	\$20/MWh	Gen. Unit B
150 MWh	\$15/MWh	Gen. Unit B
50 MWh	\$10/MWh	Gen. Unit C
50 MWh	\$10/MWh	Gen. Unit A
200 MWh	\$0/MWh	Gen. Unit B
100 MWh	\$0/MWh	Gen. Unit A

TABLE 1

The day ahead of the trading day, the system operator forecasts that for the next day the total system load for hour 10 will be 500 MWh based on historical data, the weather forecast, external contract sales to other power pools, etc. It can be seen from Table 1 that for supply to match demand, the 500th MWh will be provided by Unit B at a cost of \$15. This forecasted clearing price allows customers to guess what their position might be in the market and hedge their risk with short-notice contracts, for example. The system operator also publishes a schedule of economic merit order for the units. This commits Unit A to run 150 MWh, Unit B to run 300 MWh, and Unit C to run 50 MWh. In some markets, this day ahead clearing price is used to settle the market. Everyone that consumed energy is charged at \$15/MWh. For example, Gen Unit A would be paid $\$15 * 150 = \2250 , Gen Unit B $\$15 * 300 = \4500 , and Gen Unit C $\$15 * 50 \text{ MWh} = \750 . In other markets, there is no financial settlement ahead of the trading day.

On hour 10 of the actual trading day, the system operator determines that the real-time load is actually 600 MWh instead of 500 MWh. Perhaps there are more people running their air conditioner than this time last year or, perhaps, Gen Unit C has been shut down for emergency maintenance. This means that the system operator orders Gen Unit A to provide 150 MWh, and Gen Unit B 450 MWh. The actual load sets the clearing price at \$20/MWh since the most expensive MWh was provided by Gen Unit B at its bid of \$20/MWh. In most markets, this is the clearing price used for market settlement. It reflects the actual cost of the market service during the actual trading interval. While a particular example has been set forth, the clearing price may be determined either before or after the actual dispatch of the units, depending on the market rules. In either case, the price is used by the market operator in the settlement process to determine charges and payments as will be described hereinafter.

Clearing prices for each trading interval can be extremely volatile. In order to provide some certainty, customers in a market may create contracts for the purchase or sale of a market service to or from other customers or from an external source such as a neighboring control area. Although most contracts are negotiated bilaterally between customers, a great deal of the contract information is captured by the system operator for scheduling and by the market operator for use in settlement of the marketplace. In a preferred embodiment, these contracts can be for assets that transfer a percentage of a unit or load to another customer, or they can be system contracts that are simply a quantity of electricity or other market service. For either type of contract, buyers and sellers can attach pre-determined conditions (PDCs) to the contract that stipulate additional conditions that make the contract active or inactive. The PDCs can be based on a unit's availability or actual performance of a generating unit, or it can be based on the scheduled or available quantity of another contract. Contracts can also be dispatchable based on clearing price, thus taking on a different percentage or value depending on the clearing price. Each percentage and clearing price or value and clearing price pair is known as a contract block.

The following is an example of an asset contract. Customer A owns 100% of Generating Unit #1. However, Customer A has previously reported to the market operator that Customer A and Customer B have entered into a contract where Customer B has purchased a dispatchable unit contract with two dispatchable blocks. One block is for 25% of generating unit #1 if the clearing price reaches \$10, and the other block is for an additional 25% of generating unit #1 if the clearing price reaches \$15. There is also a pre-determined condition on the contract indicating that generating unit #1 must be dispatched for at least 50 MWh before the contract becomes active. In the contract, Customer A and B agree that Customer B would pay \$50,000/year to Customer A for the duration of the contract. This part of the transaction is not handled by the market operator. However, the conditions and terms of the contract are reported to the market operator. During an actual trading interval within the duration of this contract, generating unit #1 is dispatched at 100 MWh. The clearing price for that trading interval is also determined to be \$15/MWh. If the contract were not active (i.e. generating unit #1 was only used for 10 MWh), Customer A would be entitled to the entire MWh output of generating unit #1 times the clearing price (e.g. \$1500). However, the contract

is active, so Customer A only retains 50% entitlement on generating unit #1 and Customer B retains the other 50%. The market operator then determines during settlement that the contract is worth 50 MWh (i.e., 50% of generating unit A), so Customer A receives a \$750 payment and Customer B receives a \$750 payment.

5 The following is an example of a system contract. Customer A owns 100% of generating unit #1 and 100% generating unit #2, and Customer B owns 100% of load facility #3. Customer A agrees to sell a 50 MWh system contract to Customer B. This contract is submitted to the market operator. During the trading interval of interest, generating unit #1 is metered as producing 100 MWh as is generating unit #2, and load facility #3 is metered as
10 consuming 100 MWh. The clearing price is \$15. Before the contract is taken into account, Customer A would be entitled to 200 MWh resulting in a \$3000 payment. Customer B would be obligated for 100 MWh, or a \$1500 charge. However, the contract is determined to be active and valued at 50 MWh. As a result, Customer A has a net entitlement of 150 MWh and gets a \$2,250 payment. Customer B offsets their 100 MWh obligation with the 50 MWh
15 contract, resulting in a 50 MWh net obligation and a \$750 charge.

After the trading day, customers submit meter readings for the unit, loads, and tie lines for which they are the responsible party. The system operator also shares meter data, bid re-declarations, pricing, contract schedules, reserve designations, ancillary service requirements, and other data with the market operator. The market operator acts as the central clearing house
20 for the information associated with the actual operation of the marketplace on the trading day.

Once the market operator has acquired pricing and power system information about the trading day from the system operator and the customers, the marketplace is settled. Everyone providing energy or ancillary services has to be paid, and everyone consuming has to be charged. The market operator uses the information about the operation of the power system
25 and pricing information to determine charges and payments on an asset by asset or customer by customer basis. The results of this financial settlement are then made available to the marketplace customers.

Eventually, the results of market settlement must be cleared in the form of a bill. The market operator aggregates the settlement results for a bill period and creates a bill for each
30 customer. The bill reflects not only the customer's activity in the market, but also additional

charges and payments applied by the market operator to cover imbalances, operating expenses, transmission tariffs, and the like. Additional adjustments can be made to a customer's bill when necessary. A final invoice can then be prepared for each customer. Finally, invoice information may be preferably shared with financial systems external to the market operator.

- 5 These external financial systems may include invoicing systems, general ledgers, and electronic fund transfer software.

In general, using Internet technologies, the present invention preferably employs a secure, Java-based, distributed component or object application which runs on an architecture composed of servers supported by a relational database, Java just-in-time compilers, and an
10 object-request broker (ORB). Customers access the system through standard browser-equipped personal computers with Internet access.

Turning to a more detailed description, the present invention is partially implemented utilizing a set of distributed components deployed in a multi-tiered network-centric architecture collectively providing the services needed to effectively facilitate, coordinate and manage a
15 competitive marketplace preferably via the Internet. Overall, the description of the system can be broken down by its business components, technical architecture, and application architecture.

Business Components

The market operator provides a full set of business components to facilitate bidding,
20 contract management, meter-reading submission, market settlement, and billing in addition to managing an enterprise wide solution to customer information and power system modeling. These functions are scalable, easily interfaced to other systems, designed to be highly reliable and secure, and constructed with the data and audit needs of the customer in mind. An object-oriented design approach which utilizes object-based techniques such as inheritance,
25 encapsulation and polymorphism is used to make the application flexible. Thus, new classes can be rapidly designed or modified if new market rules and procedures dictate the need. The object-oriented design also uses standard messages and methods so that components can be added or removed from the application with minimal change to existing components.

FIG. 3 is a schematic of a business model 200 that implements the present invention and
30 includes major component-to-component interactions, interfaces, and links to customers as well

as other software packages. The key components include a customer component 202, a bid component 204, a contract component 206, a meter reading component 208, a settlement component 210, a billing component 212, and a power system component 214. The business model 200 shown in FIG. 3 is a generalized model and may be different depending upon the market operator's scope of responsibility. For example, pricing may or may not be integrated into the market function, but might instead be part of the system operator function (not shown). The exact dynamics of the market operator will vary for each implementation. As the marketplace evolves, there will likely be many rule changes, regulatory mandates, new entrants into the marketplace, and fundamental changes to the business model. A system implementing market functions must be adaptable, quickly deployable, and flexible enough to change as business needs change. Ideally, each core function would encapsulate its own information and behavior so that one capability could be modified or replaced with minimal impact on other market operator capabilities.

In response to this need for an integrated, dynamic, and robust market operator capability, a component-based object-oriented system has been developed that provides the core functions required to coordinate and facilitate the market activities of customers in a competitive marketplace.

With reference to FIG. 3, the components of the business model 200 communicate with one another in the following fashion. The settlement component 210 receives information from the power system component 214, customer component 202, bid component 204, meter reading component 208 and contract component 206. In addition, it receives scheduling, pricing and dispatch information 216 from the system operator through an interface module 218. The bill component 212 receives information from the customer component 202 and settlement component 210 and outputs information to external financial systems 220 through an interface 222. These external financial systems 220 may include invoicing systems, general ledgers and electronic fund transfer software. The bill component 212 also outputs information to customers 224 through an invoice interface 226. The bid, meter reading and contract components receive information from customers 224 preferably through a graphical user interface 228. The power system and customer components 202 and 214 receive information

from customers 230 through graphical user interface 232. Customers 230 are preferably internal to the market operator.

The power system component 214 represents a network model of the physical power system, including the generating units, load facilities, transmission lines (tie lines), network nodes and network areas. It is adaptable to multiple pricing and/or bidding zones and maintains generation characteristics including operating limits, ramp rates, and black start capability.

The customer component 202 manages all information about entities that have a business relationship with the market operator. It retains data on customers, including market eligibility, equity ownership in generation and load, contact information, bidding responsibilities, and meter-reading responsibilities.

The bid component 204 enables customers to submit, view, modify, and validate bids via a graphical user interface or through a bulk file upload facility. It applies physical limit checks on bid offers for each generator and allows for bidding through multiple price-quantity bands, potentially different for each trading interval. It provides for varied types of energy bids including support for fuel constrained and self-scheduled generation and accepts updates during the open bidding period to accommodate changes in generating unit or dispatchable load characteristics. It contains user interfaces to allow the market operator to vary bid submission deadlines. It maintains information about customer offers to provide market services such as energy, ancillary services, or capability service and provides a full audit log, including user access information to facilitate statistical analysis on bidding practices.

The meter reading component 208 stores meter readings submitted by customers for all metered generation, load, and tie flows and allows for validated bulk meter reading submission. It offers helper functions that allow customers to enter information quickly and efficiently and identifies missing or incomplete metering data.

The contract component 206 allows for the creation of contracts and accepts contracts for a wide range of market offerings (energy, ancillary services, etc.) and contract definitions (system, asset-specific, etc.). It offers user-friendly web interfaces for placing transactions into the system and a file upload mechanism for high-volume users, all with real-time validation. It provides the facility to submit a contract schedule, slicing the contract into several price bands with each band evaluated separately against the market clearing price, and it determines

contract activity based upon conditions to be evaluated post-dispatch, such as unit availability or physical contract activity.

The settlement component 210 manages the financial settlement of all markets based upon meter-readings, operational information, bids, contracts, and clearing prices. It determines clearing prices through economic stacking of bids as previously described. It performs reconciliation to account for accurate, month-end metering data. It contains an extensive versioning mechanism that allows for the re-settlement of any given period based on new or changed input data.

The bill component 212 summarizes the financial activity for each customer on an invoice for the service provided or received. It performs differential billing for trading intervals re-settled with corrected input data but previously billed on a historical invoice. It provides for flexible bill processing periods. It can be supplied with an interface to enter manual line items such as registration fees or special charges and interfaces with third party systems, such as tariff billing systems. It preferably communicates with third party accounting software to provide general ledger and activity accounting updates.

Also shown in FIG. 3 a market information server 221 may be included. The market information server is a data warehousing tool designed to service a variety of internal and external customer informational needs. The heart of the market information server is a database which acts as a central repository for data elements from a variety of informational sources within the market operator. The market information server associates transactional input, such as bids, contracts, and metering data, with market activity data, such as clearing prices and generator operational flags. The market information server then ties this set of information to each market customer's individual settlement. Using market information server reporting tools on the data warehouse, reports are created and distributed to each customer according to security level. Additionally, high level studies and drill-down details for internal market operator functions such as market administration, market power monitoring, auditing, and billing are easily performed on the same data set.

The market information server application is composed of two independent components: database population component and report generation component. The database population component performs all of the data gathering steps and runs periodically, either

through a batch process or through special-case market operator user execution. With each execution of the database population component, the data is re-organized from many different sources, each tailored to their respective applications, into a common repository design to suit customers' needs. After this stage, the report generation component is called upon whenever a user requires a pre-defined report. In addition, third party tools may be used for ad-hoc queries.

Customer's interaction with the market operator is based on a transactional system: individual customers' browsers connect with the market operator and the customers enter bids for the output of their generators and for ancillary services as well as bilateral contracts. Additionally, metering parties submit generation, consumption, and tie flow values used in the determination of market settlement.

The nature of transactional data is fragmented in that data enters the system through the course of each day. The market information server selects data elements which have financial implication to each trading interval settlement, collects them, and updates the market information data warehouse. For example, only final metering data is selected for retention even though multiple meter submittals had been performed for the same asset during the same trading interval.

Operational information from the system operator is also gathered into the market information database. This data, while also transactional, has the added characteristic of being time critical. Whereas market operator transactions are correlated post-dispatch, operation data is collected and reported in near real-time. Near real-time reporting is achieved by polling the system operator's energy management system several times per hour and making the information received from this query available to users with access rights to review it. This data set includes, but is not limited to, instantaneous clearing prices, generator operational flags, and pool reserve designations. While quantities may be overridden by market administrators during the settlement process, this information provides timely feedback to those customers directly affected by the dispatch characteristics. By developing a secure, reliable, and informative link between market operators and market customers, communication between the parties will eliminate problems which would potentially need to be handled through dispute resolution.

66020T"ETZT460

The third source of information for the market information server is the market operator's settlement database. The market operator provides performance information for each customer and, ultimately, billing data. With this data selected and correlated to the transactional and operational data, a complete snapshot of each trading interval's activity is created.

The market information data warehouse generates reports designed with customer requirements, rather than specific application requirements, in mind. The table structures are constructed such that customers and asset information are easily tied to each market. This design serves three major purposes: fast querying capability, multiple delivery options, and report writing flexibility.

Data warehousing enables fast database access which facilitates reporting the data itself. High speed report creation becomes increasingly more important as energy markets become more open and more customers actively query the system. The sheer number of data elements for each trading interval coupled with the volume of customers making informational requests may result in a system that is burdened with preparing data sets on the order of Gigabytes per day. Rapid turn-around of these requests, especially if an on-line request-based method is used, is a key to the market information server's potential success.

A variety of methods may be chosen for publication of the data. For public information, data may be posted directly to the Internet. Again using third party Web reporting tools, trend analyses such as clearing price history, can be shown right on the Web with only minor additional effort. In the case of confidential data, a special list of customers that are enabled to view the data would be created and the market operator may opt to make these reports available either through a secure Web server or through a traditional file transfer protocol server.

In any case, some customers will require data to be prepared for easy import into analysis tools, such as spreadsheets and desktop databases. The market information server application has a built-in architecture used to create standard comma delimited files, along with error handling and file maintenance tracking tools. To facilitate users who choose the spreadsheet import method, templates are created for the customer to download and use.

Another strength of the market information server is its ability to empower internal market operator staff with the ability to easily create ad-hoc reports. Market administrators will

choose to create very detailed reports for a given trading interval in order to perform check-and-balance type operations. Market monitors will tend to create detailed reports as well, but on the customer or asset level to study trends in bidding, metering, and contract writing. Auditors and billing staff will run summary type reports which aggregate many customers and many trading intervals over monthly or annual time frames. Regardless of the type of report designed, the time between report design request and report delivery is shortened because of the data warehouse.

Returning to the components shown in FIG. 3 each component described above, as well as some others, will now be described in further detail. Of course, the details of each component may change depending on the marketplace in which the present invention is implemented and the particular business rules developed for each market. For illustration purposes, the present invention is applied to the electricity marketplace.

FIG. 4 illustrates the home page 300 as seen in Netscape browser on a customer's graphical user interface. The components shown in FIG. 3 and discussed above, as well as some additional components are displayed. The user can access a component by selecting the desired component with a device such as a mouse or a key stroke, for example.

The bid component 204, preferably provides the bidding capabilities required for a supply-side auction of energy services. The bid component provides many primary services which will be described below. The bid component enables customers to submit, view, modify and validate bid and resource characteristics via an effective graphical user interface or bulk file upload for a plurality of market services such as energy, automatic generation control (AGC), ten minute spinning and non spinning reserve, thirty minute operating reserve, installed capability and operable capability.

FIG. 5 is a display screen for the bid component according to a preferred embodiment of the present invention that can be displayed on a customer's workstation. As can be seen at the top of the screen, tabs 501 are provided that allow the user to display various screens of the bid component. The screen shown in FIG. 5 is the bid information tab. The bid information screen provides information to the user concerning submission deadlines and date ranges for bid entries. The user can also perform a search for a particular customer by entering either a customer name or identification number on the right side of the screen.

FIG. 6 is a display screen of the energy tab of the bid component according to a preferred embodiment of the present invention. From this screen, the customer can begin the bidding process. On the left side of the screen a start screen is displayed where the customer can enter bidding information as shown. In this particular example, a new bid is to be created from scratch for the Avalanche Gas unit. After the customer has entered the requested information, the "Next" radio button is activated and a helper screen as well as a bidding grid of the energy panel is displayed as shown in FIG. 7. From this screen the customer can enter information as to the parameters of the bid. The bidding grid on the right side of the screen will be filled with the parameters the customer selects. Energy bids preferably consist of blocks of price and MW amount for each trading interval within a scheduled dispatch period. Energy bids may also contains a self-scheduled MW amount 701, a high operating limit 702, and a low operating limit 703 for each trading interval. As seen in FIG. 7, the scheduled dispatch periods are listed and the user can enter the amount and price for each trading interval either directly in the grid or by using the helper. Once the bidding information is entered, the customer can submit, clear or reset the bid information. After the customer submits the bid a confirmation screen is displayed on the customer's work station as shown in FIG. 8 indicating confirmation of the bid. In a preferred embodiment, the customer is notified of the date and the time that the bid was accepted, its effective date and unit name.

Bids for other market services may also be entered. FIG. 9 illustrates the display screen for the AGC market. Again, a start panel is displayed on the left side of the screen so that the customer can enter information. This information is submitted by activating the "Next" radio button which then displays the screen shown in FIG. 10. On the left side of the screen is a helper panel that prompts the customer for bid information. In this particular example, the bid price has been selected at \$22 per hour as shown on the right side of the display. The customer is also able to edit the characteristics of the unit by selecting the "Edit AGC Characteristics" tab 1001 at the bottom of the right side of the display. FIG. 11 illustrates the "Edit AGC Characteristics" panel. Again, a helper panel on the left side of the screen allows the customer to enter data quickly, if desired, otherwise the customer can enter information directly on the right side of the display.

FIGs. 12-15 illustrate the display screens for the other market services, i.e., reserve and capability, and are similar to those already described and thus need not be described in further detail.

FIG. 16 illustrates the resource characteristics panel of the bid component. In this example, the customer has selected to edit the characteristics of an existing unit, the Avalanche Gas unit. In response to this action, the display screen shown in FIG. 17 is displayed and from that screen the customer can change existing parameters such as minimum run time, minimum shutdown time, etc. Depending on the access provided to the customer, various tabs will be enabled or disabled. For example, the maintenance tab of the bid component is preferably

enabled only for market operator internal users, i.e., customers that make up the market operator. FIG. 18 illustrates the maintenance tab of the bid component. From this screen, the market operator can edit existing parameters or enter new parameters. In this example, the market operator chooses to edit existing parameters. In response, the display screen shown in FIG. 19 is displayed. As can be seen, the market operator can edit various parameters, that control the bidding process such as bid submission deadlines and the number of bids that can be entered in advance.

Thus, the bid component allows customers to enter bids up to a daily trading deadline applicable for the market. In addition, it also allows customers to enter bids up to a predefined number of days in advance and allows customers to create a new bid using an existing bid for a day up to a predefined number of days prior. Furthermore, the bid component provides the market operator the ability to enter bids on behalf of customers. This provides a contingency measure if customers experience communication or hardware problems. The bid component records the bid entry type for each bid submitted. The bid entry types include bids entered by customer, default bids generated by the bid component and bids entered for the customer by the market operator.

The bid component is also responsible for creating default bids for each market service other than operable capability and installed capability. For each active unit without a bid submitted for the scheduled dispatch period, a default bid is created. The default bid is a replica of a bid from a previous scheduled dispatch period bid for that unit. If an active unit exists in

the market but a bid for the previous scheduled dispatch period does not (i.e., a new customer has not submitted a valid bid) then an ERROR is logged and no default bid is created.

Bids can be either on a customer by customer basis or an asset by asset basis, depending on the prevailing business rules. However, the bid component itself is not limited in any way to a fixed number or type of market services, and the bids need not be only for electricity or ancillary services. For example, the bid component could readily accommodate bidding for natural gas or some other commodity. Additionally, the bid component could also incorporate demand-side bidding, giving the bid component complete bidding capability for any commodity auction. From any screen the customer can select a component either from the icons located at the bottom of the screen that are always displayed or by returning to the home page shown in FIG. 4.

The contract component 206 supports the ability to create various contracts including external system, external unit, internal system, internal assets and internal obligation contracts. In addition, the contract component enables a customer, an agent for the customer or the market operator to submit contracts via a bulk upload facility. FIG. 20 illustrates the beginning screen of the contract component where the customer selects the contract type, market service and duration of the contact as shown. After that information is entered, a general information panel is displayed on the right side of the screen as shown in FIG. 21. The general information screen indicates the parties to the contract and identification information. The customer can view details of a contract by selecting the "Details" tab at the bottom of the right side of the display. FIG. 22 is a display screen of the details panel. In addition, the customer can view whether there are any predetermined conditions associated with a unit by selecting the "Pre-Determined Cond" tab. FIG. 23 is a display screen of the predetermined conditions panel. It can be seen from FIG. 23 that the unit's availability is a predetermined condition of the example contract. The customer submits the contract by activating the "Submit" radio button and a confirmation screen as shown in FIG. 24 is displayed confirming that the contract was received as well as particular parameters of the contract. The contract illustrated in FIGs. 21-24 was for an internal contract type. Next, an external contract type will be described with reference to FIGs. 25-28. FIG. 25 illustrates a display screen for entering contract information for an external contract. FIG. 26 illustrates the "General Info" tab for the external contract and indicates the parties to

the contract as well as identification information. FIG. 27 illustrates the details panel for the external contract where the customer can enter the contract information either directly on the right side of the screen or through the helper panel on the left side of the screen. In the particular example shown, the customer has contracted for 50 MW. The customer activates the "Fill" radio button and, as shown in FIG. 28, that information is filled on the right side of the screen. The customer can also view whether there are any predetermined conditions associated with the external contract by selecting the "Pre-Determined Cond" tab. FIG. 29 is a display screen of the predetermined conditions panel. The customer can also search for existing contract information through the search panel on the left side of the display as shown in FIG. 30. FIG. 31 is a display of the results of the search.

As previously described, the customer component 202 manages all information about the entities i.e., customers, that have a business relationship with the market operator. FIGs. 32-40 illustrate display screens associated with the customer component. FIG. 32 illustrates a display screen showing general information for an existing customer. As shown, a search was entered for customer names that begin with the letter "C". The Cadillac Generator Company was retrieved and on the right side of the screen, information concerning the Cadillac Generator Company is displayed. In particular, the type of customer, its status in the pool and its settlement status are displayed. Additional information concerning a customer can be viewed by selecting a tab 3201 from the bottom of the right side of the display. FIGs. 33-40 show the various display screens, that can be viewed. These display screens provide information concerning a customer's address, contact information, DUNS information, any related information, asset information, governance information and user profile which dictates what rights the customer has to view or modify particular information, and agent maintenance information. The customer component is preferably accessible only by market operator internal users, i.e., the market operator.

As previously described, the power system component 214 maintains the model of the power system as it exists for physical and financial market settlement. The power system includes three primary elements: assets (generating units, loads, and tie lines), network nodes (a grouping of assets), and network areas (a grouping of network nodes). The power system component entitles the entry and maintenance of generating unit, load facility, tie line, network

node, network area characteristics. These characteristics describe various aspects of each element. In addition, the power system component 214 enables the entry and maintenance of asset data and the relationships between assets.

FIGs. 41-53 illustrate the display screens associated with the power system component.

5 Preferably only market operator internal users have access to this component. As can be seen in FIG. 41, from the top tab line 4101 the customer can select display screens for the network area, network node, generating unit, load facility and tie line. FIG. 41 is a display screen of search results for a network area. As can be seen on the right side of the screen, the network nodes that are inside and outside the network area are displayed. FIG. 42 is a display screen for
10 an existing network node indicating the network areas associated with that node. FIGs. 43-45 are display screens of the generating units, load facility and the tie lines associated with the node, respectively. FIGs. 46-49 are display screens indicating information concerning a generating unit. The screens are self explanatory and thus need not be described in greater detail. FIGs. 50-53 are display screens associated with a load facility and tie line respectively.
15 Thus, through the power system component, the entire marketplace is modeled.

The batch scheduler 201 provides a mechanism for the submission of batch jobs, and the prioritization of batch job submissions. The initiation of batch jobs according to the prioritization is supplied by a commercially available tool. It also provides the ability to submit dynamic parameters for a batch job and provides the ability to support unique billing
20 functionality involving the submission of bill parameters. In addition, it provides a facility to view the status of batch jobs submitted through the batch schedule user interface. A batch scheduler tool such as Maestro which initiates the jobs as scheduled. FIGs. 54-59 illustrate display screens associated with the batch scheduler component. FIG. 54 is a general display screen from which a customer, preferably an market operator internal user, can select a batch
25 job such as settling an hourly market for the energy market, as shown. FIGs. 55-56 are display screens for selecting other batch jobs such as printing an invoice or calculating voting shares, respectively. FIGs. 57-58 are display screens for the billing panel. As can be seen, the customer can select to process bills or roll back bills. FIG. 59 illustrates the log panel where the status of each selected batch job can be viewed.

FIGs. 60-69 are display screens associated with the settlement component. FIGs. 60-61 are display screens that indicate the clearing price for the energy and AGC markets respectively for a particular interval. The customer can update information if necessary. FIGs. 62-69 are display screens where various settlement parameters can be viewed and updated as is clear from the display screens. The settlement component 210 is responsible for the physical and financial settlement of all the hourly and monthly markets. In addition, the settlement component is responsible for the monthly meter adjustment settlement for meter reading. Various settlement-related parameters can be entered through the user interface and file upload services of the settlement component.

The settlement component highlights any data that was identified as having validation or availability problems in any trading interval and confirms that data necessary to complete settlement for a trading interval is available including, meter readings (MWh energy readings) and clearing prices (for each market service). The settlement component supports the ability to accept the different types of administered price including data correction and market suspension which will override the clearing price for a specific market service and trading interval.

FIGs. 70-72 are display screens associated with the bill component. The bill component 212 provides flexible bill processing so that each billed service can be billed for a distinct bill period. The market operator has the ability to disable the bill process for one or more billed services, to update the end date of the bill period for each billed service (the system will generate the next bill period begin date based on updates), and to roll back a bill period for a billed service. In addition, the bill component allows the initiation of bill processing by manually triggering a batch calendar event which will be described hereinafter.

The bill component provides a mechanism for the entry and maintenance of balanced and unbalanced adjustments to a customer's bills through a user interface or a file upload. The following information may be captured: customer identifier, the amount of the debit/credit per customer, the reason for the adjustment and a description of adjustment, for example. FIG. 70 illustrates the adjustment tab of the bill component. As can be seen from FIG. 70, the type of adjustment made and the reason for the adjustment is captured.

The bill component provides a mechanism to view a summarization of all bills processed. All calculated summary line item and net amount totals will be saved to a database

so that external reports can be produced. FIG. 71 illustrates the market system details tab of bill component which displays summary information for each customer, including their net position in each market for the selected bill period and accounts payable and receivable. FIG. 72 illustrates a display screen accessed by the customer invoice tab. The customer invoice display uses a collapsible tree structure with each child node of the tree structure representing more and more details about a customer.

The bill component is also responsible for preparing an invoice for each customer. The bill component initiates invoice printing by manually triggering a batch calendar event. It also formats a file that includes all information to be printed on the invoice. The bill component creates statements that are payable to the customer and market operator. The bill component preferably creates a flat file to provide information to format a summary report.

FIG. 73-76 are display screens associated with the meter reading component. FIGs. 73-74 are directed to hourly meter reading data and FIGs. 75-76 are directed to monthly meter reading data. The hourly or monthly meter readings for a particular asset can be entered via these display screens by customers that are responsible for meter reading.

Technical Architecture

The overall technical architecture provides a flexible system that is easily and economically adaptable to changing environments. The technical architecture is designed to provide the system with several important benefits. These include a fault tolerant server/LAN combination, redundant communication interfaces, multiple distributed user interfaces, and archival storage media to ensure high system reliability as well as a plan for survivability in the event of a failure. The system is composed of a robust, highly secure network infrastructure and scalable components to allow it to easily meet expected market operator transaction volume demands and to economically adapt to future ones. FIGs. 77-78 illustrate the major physical components of the system's technical architecture. With reference to FIG. 77, the system's architecture 100 preferably includes a plurality of external customer workstations 102, of which only one is shown, a Web server 104, an authentication token server/firewall 106, at least one market operator internal user workstation 108, preferably utilized by the market operator, at least one developer workstation 110 and at least one application server 112. The external user workstations 102 are coupled to the Web server 104 via the Internet 114. The

Web server 104 communicates with the application server 112, internal user workstation 108 and developer workstation 110 over an Intranet 116, preferably a LAN, although other structures can be used.

The system shares key information and resources among many users throughout different organizations. Therefore, the ability of the system's network infrastructure to prevent unauthorized access to information is important. For enhanced security, the system preferably employs a multi-tier network security architecture. To access the system, each customer, external and internal, as well as the developer workstation have both a challenge token used to reveal a 'challenge' password based upon personal login information as well as an industry standard digital certificate, a unique digital signature issued and managed by the market operator itself. Challenge routers authenticate only customers who have valid credentials, consisting of the access code along with a digital certificate installed on the customer's workstation, thereby protecting sensitive resources and information attached to an Internet network from unauthorized access. Proxy services mediate traffic between the protected network and the Internet by establishing a screening server address, shielding outsiders from knowing (and later targeting) the specific addresses of servers within the private network. This level of security is totally transparent to the customer with the exception of needing to use a security card at the beginning of each session. The external customers 102, market operator internal users 108 and developer workstations 110 are all equipped with Web browsers.

With a secure connection established between the customer's workstation 102 and the web server 104, components of the system can be automatically loaded into the web browser of the customer's workstation 102. As a benefit of this technique, customers need not coordinate to update their software packages when enhanced versions of the application are released. In this way, new software to accommodate updated market rules or procedures is simple to release. Data is entered in and validated through graphical user interfaces at the workstations, while the transactions are entered in a database maintained by the application server 112. Customers internal to the system access the system in the same way as external customers, however additional functions are enabled as menu options as previously described. Thus, market operator internal users can initiate a settlement process or update a customer's information, for example, whereas external customers would preferably not be provided with

this capability. Developers utilize Java development tools to maintain and enhance the architecture and application as necessary.

FIG. 78 illustrates a typical hardware configuration implementing a portion of the architecture shown in FIG. 77. Of course, other implementations can be used and the present invention is not limited to the particular embodiment shown. In this preferred embodiment, the application servers 112 are DEC 8400 Alpha servers on which Oracle's Version 8 Relational Database Management System runs in parallel mode to provide access to the database and maintain its integrity. Dual Silicon Graphics web servers, providing load balancing and fail-over protection, run Netscape Enterprise Server. The entire system communicates using TCP/IP, messaging protocol. As the principle method for transmitting data over the Internet today, this protocol is responsible for ensuring that data packets sent over the network arrive at the destination and are properly sequenced. Secure Hypertext Transfer Protocol (HTTPS) running on top of the TCP/IP layer is used as a light-weight file transfer protocol optimized for transferring these small files. Additionally, the system's execution environment is implemented using an Object Request Broker (ORB) to provide a mechanism that enables objects to transparently make requests of and receive responses from other objects located locally or remotely. The ORB uses Internet Inter-ORB Protocol (IIOP) based on Common Object Request Broker Architecture (CORBA) to send information across the network.

Application Architecture

Services provided by the application architecture are: presentation services, information services, communication services, environment services, transaction services and business logic.

The implementation of application architecture services is delivered using a network-centric architecture framework. The net-centric architecture framework is a common architecture that supports multiple electronic access channels to disparate sources of information reachable by customers using technologies that employ open, commonly accepted standards. FIG. 79 illustrates an example of the application architecture services according to a preferred embodiment of the present invention. For purposes of this description, the communication fabric and web services are considered part of the technical architecture.

Presentation Services

60427102059

The presentation services enable the application to manage the human—computer interface. This includes capturing user actions and generating resulting events, presenting data to the user, and assisting in the management of the dialog flow of processing. The major presentation services include a window system, a desktop manager, a web browser, and an input device. FIG. 80 illustrates the basic user interface design. The user interface is divided into three hypertext markup language (HTML) frames. The top frame 602 contains a header applet, the middle, “main” frame 604 contains the main user interface applet, where component applets are displayed. The main frame 606 also contains a JavaScript function which can be invoked by the applets from the other frames. The bottom frame contains the MainMenu user interface applet which contains a menu to select a component to be displayed in the main user interface. FIG. 5 shows the application of this framework to the bid component user interface.

The user interface is preferably constructed using the Abstract Windowing Toolkit (AWT) available from Java 1.1. Applets are preferably constructed from core AWT classes (e.g. Canvas, Panel, and Label) as well as third party products (e.g., Tab Panel from Symantec) where necessary. In a preferred embodiment of the present invention Netscape's 4.5 web browser is used on the workstations. All functional areas are accessed through the web browser, however, Microsoft's Internet Explorer may be used. Some Netscape specific pieces related to security and software delivery would have to be altered before a full production deployment on Internet Explorer is possible.

The presentation layer is separated from the business logic and validation by the user interface/activity framework implementation. The user interface layer captures and handles the user-initiated events and displays the results of the event. The activity layer is responsible for validating the user's input and invoking services on the business components to process the transactions. That is, services to read data from a user interface and translate them into their corresponding data types and then validate the data types are handled by the user interface/activity framework implementation. The graphical user interface, such as that shown in FIG. 7, demonstrates many of the common user interface features of a component. As described above, the user is able to access the desired grouping of information using a tab panel metaphor. By clicking a tab, the user is shown a panel designed for the input and display of information related to the component. Button clicks and other user-initiated events are handled

using standard object-oriented event handling implemented in the application architecture. Additionally, each panel of the user interface may contain any number of graphical user interface components or “widgets” such as editable text fields, list boxes, tables, sliders, combo boxes, and date spinners. Each graphic user interface component can capture events such as a click or key press and initiate some activity within the user interface’s corresponding activity class. The activity is responsible for interpreting the event and initiating the correct business logic or validation.

Information Services

Information services manages information assets and enables the application to access and manipulate data from documents, databases or other external data sources stored locally or remotely. It minimizes an application’s dependence on physical storage and location within a network. The primary storage services utilized in the present invention is provided by Oracle’s Version 8.0 Relational Database Management System (RDBMS) resident on an application server. All persistent data is stored in relational tables within Oracle. In addition, Oracle provides data security and access services for database administration personnel. Database user accounts are protected with a password, and data/table access is governed by access rights established by database administration personnel.

FIG. 81 illustrates a schematic of a portion of the application architecture according to a preferred embodiment of the present invention. Oracle’s Java Database Connectivity (JDBC) ThinDriver provides the Java-based application program interface needed to access the database from within the system. All common database transaction services are accessed through the JDBC. Since JDBC is independent of the particular database management system, the system has the added benefit of being isolated from the particular database implementation. The application architecture also provides a layer of separation from the JDBC API with the Persistence framework. This framework provides mapping from an object-oriented implementation to a relational database model, as well as services for generating SQL statements.

Communication Services

Communication services enable an application to transparently interact with other applications regardless of whether they reside on the same computer or on a remote computer.

Once a component has been created and its services defined, a method must be established for customers to communicate with the component. The application architecture preferably implements a version of the "Proxy-Skeleton" pattern. This pattern defines two objects to act as the communication handlers between components. FIG. 82 illustrates component interaction overview. A Proxy is a version of the interface that exists in the client's space. This object has a method for each service on the interface that the component wishes to be public. A Skeleton is what a proxy communicates with. A Proxy sends a message across the ORB which is captured by a Skeleton. The Skeleton then forwards the message on to the component.

The system also provides customers the ability to upload files from their workstations. File upload services provide an alternative to entering information through a component's user interface. As previously described, component's user interfaces are implemented using applets. Since there are security restrictions imposed on downloaded applets by the browser, it is necessary to implement the Netscape Capabilities application program interfaces (APIs) to upload files. This requires the following: (1) all applets needing access to client files will be signed with a digital signature; (2) applets will utilize the Netscape Capabilities APIs to grant read privileges on the client hard drive; and (3) customers will be given a digital signing certificate and, using Netscape Security, file read permissions will be granted to the certificate.

To implement the first requirement, a VeriSign class 3 object signing digital id is preferably used. All applets that will be downloaded to client workstations are packaged in a ".jar" file and signed with this digital id. For the second requirement, Netscape Capabilities API's need to be installed on the web server to support object signing security. The SecurityManager class is used to grant file read permissions within applet code. For the last requirement, all customers are provided with a digital signature so that the identity of downloaded applets can be verified.

As previously described, the system's execution environment is implemented using an ORB. The ORB is the foundation for a distributed component solution. At its most basic level, an ORB is used to enable components to communicate with each other regardless of physical location, operating system, and programming language. ORB vendors implement these services using the Common Object Request Broker Architecture (CORBA) as defined by the

Object Management Group (OMG). In a preferred embodiment, Inprise's Visibroker ORB product is used.

Assuming the system is implemented using the Java programming language, the application needs to work within Java's security standards. One of these security standards is that a customer can only establish and accept network connections from the host that served the applet. This is known as the Java Sandbox. In order to have successful customer – server communication in a distributed component environment within the Java Sandbox, the application architecture uses Visigenic's Gatekeeper product. The Gatekeeper acts as an initial point of connection for all requests. The Gatekeeper knows where to forward requests. Using the Gatekeeper, application components can be distributed without regard to Java Sandbox security restrictions. The Gatekeeper is enhanced with Inprise's SSL Pack. This enables the gatekeeper to encrypt communications between clients and the gatekeeper using the Secured Socket Layer protocol. By using the SSL Pack, all encryption logic is encapsulated and hidden away from the application architecture.

Environment Services

The environment services provide miscellaneous application and system level services that do not deal directly with managing the user-interface, communicating with other programs, or accessing data. These services are divided into operating system services, runtime services, system services, application services, component framework services, batch scheduling services, and report distribution services which need not be described herein.

The system requires a batch architecture as previously described that will support both manual and automated execution of batch processes. The system's batch architecture is preferably comprised of the following products/objects: "Maestro Batch Scheduler, a third party batch scheduler used for the automated kickoff of batch processes according to predefined timetables"; Batch Driver, a Java executable that acts as the interface between Maestro and the batch scheduler component. The driver connects to the batch scheduler component and calls an operation on the component to execute a batch job.

The environment services also includes Java's Virtual Machine (JVM) which translates Java bytecodes into machine language commands. At compile time, Java code is compiled from Java syntax into Java bytecode. Bytecode is a protocol that JVM's read at runtime. The

JVM translates bytecode at runtime into machine specific commands. The system in this example uses DEC's JVM for the DEC application servers, Sun's JVM for Windows NT for the NT server, Sun's JVM for Solaris for the web servers, and Netscape's JVM for the customers.

Transaction Services

The transaction services provide the transaction integrity mechanism for the application. This allows all data activities within a single business event to be grouped as a single, logical unit of work. These transaction managers provide sharing of server processes across a large community of customers and can be more efficient than the DBMS. Key transaction services include: transaction monitor services, resource management services, transaction management services and transaction partitioning services. A transaction (or unit of work) is a collection of steps that accomplish a particular business function, such as creating a new customer or settling a market.

In terms of a procedural-based application, a single module or program would represent a single transaction. An object-based application is comprised of smaller, more cohesive modules (objects) than procedural-based applications. While this makes for better software characteristics, it makes the job of transaction management more difficult. A transaction management framework for an object-based application should be able to manage multiple transactions, each associated with one to many objects. Each transaction should manage the state of the objects in its domain whether they are new, persisted, changed, or deleted. Finally, the transaction management framework should isolate the functional developer from the technical details of the framework.

Business Logic

The business logic provides the expression of business rules and procedures (e.g., the steps and rules that govern how a sales order is fulfilled). As such, the business logic includes the control structure that specifies the flow for processing business events and user requests. There are many ways in which to organize business logic, including: rules based, object-oriented, component, structured programming, etc.

As is well known, object-oriented architectures, like traditional architectures, use layering to isolate different types of functionality. This simplifies the development

environment by shielding complexity, enabling reuse, and sustaining greater consistency, i.e., separation of concern.

A common way to separate the concern of the application is to separate the user interface from the business logic. In this framework, a user interface object is used to capture user events, translate them into business messages, and trigger changes to the interface itself. Any business messages that the interface objects needs to send are directed towards its activity object. The activity object models a business unit of work. It exists on a client machine near the user interface objects, captures messages from interface and other activity objects, and either processes those messages or delegates the responsibility to the business components.

This "separation of concern" allows the business logic (activity) to be separated from the presentation (user interface, file upload), which enables the reuse of business logic across multiple electronic access channels.

In the context of object-oriented programming and distributed object technology, a component is a reusable software building block that can interact with other components on the same computer or a distributed network of computers to form a complete application. A component encapsulates all of the data and behavior associated with a business entity or process. Its public attributes and behaviors are accessible to other components in the federated network. Components are much like large-grained objects. They share many of features of traditional objects, but on a larger scale. Objects are the basis of object-oriented technology.

The business objects (instances of classes) and components of the system encapsulate the business logic specific to a given implementation of the system; in this case, the rules and procedures of a particular electricity marketplace. A component or object effectively hides the details of the business logic and the underlying database structure from other components and objects. Components and objects "see" only the interfaces offered by other components or objects, not the objects that realize the component. As a result, the process flow and the business logic associated with a given business entity or process are completely encapsulated within the component, as is the data related to the business entity or process. There are many commercially available components on the market, commonly implemented using Microsoft's ActiveX or Java's Enterprise Java Bean technology.

The business components of the present invention share many common features. Each component is preferably implemented as object-oriented classes. In the context of object-oriented technology, classes encapsulate all of the data and behavior associated with finer-grained processes or entities within the business model. An instance of a class is called an object. For example, an instance of the customer class might be labeled as the "ABC Energy Traders Inc." object. Components are implemented by a collection of classes that have been coded and compiled into bytecode. This bytecode is interpreted at run time by a Java Virtual Machine™ (JVM) or some other just-in-time compiler and translated into instructions that can be interpreted by the processor running the JVM.

Those skilled in the art may also realize classes using another object-oriented programming language such as C++ or SmallTalk. Java has been selected as the preferred embodiment of this invention for example purposes only. Components can be further packaged in a single file that can be easily administered and distributed, such as a Java Archive (JAR, i.e., ".jar" file).

Business object instances in the system represent critical information relating to the operation of a competitive physical and financial marketplace. Given this high-risk environment, changes in the state of the system will need to be logged for auditing purposes. In addition to audit logging, certain operations will be required to be performed on the system as it existed in a given point in time. This will require some objects to be versioned in a way that they can be reconstructed as they once existed at a specified time. The versioning needs of business objects in the system can be broken into four separate categories: audit enabled, effectivity-enabled, versioned inputs, and versioned outputs. Audit enabled business objects will trigger an entry to an external audit log whenever their state changes. Effectivity-enabled business objects represent the state of some entity over a specified time interval. This time interval may be past, present, or future. These objects allow the system state to be programmed for future times. Versioned input business objects are those that will need to be recreated as they existed at a given point in time. These objects describe a system state that is used as an input to processes that are meant to perform on the system as it existed at some past time. This is different from effectivity enabled objects in that objects that are versioned inputs represent different versions of entities that describe the same thing but are described with varying degrees

of accuracy at any given point in time. Versioned output objects are those that need to be recreated as they existed in a given point in time and need to provide a basis for how they were created. These objects are created based on a system state that could have existed in the past.

5 The above specification, examples and data provide a complete description of the present invention. Since many embodiments of the invention can be made without departing from the spirit and scope of the invention, the invention resides in the claims hereinafter appended.

What Is Claimed Is:

1. A method of facilitating, managing and coordinating the operation of a competitive marketplace using the Internet, the method comprising the steps of:

5 (a) collecting bids for market services from a plurality of customers over the Internet;

(b) calculating a clearing price for a market service; and

(c) calculating settlement information based upon the clearing price calculated in step (b) and the bids collected in step (a).

10 2. A method according to claim 1 further comprising step (d) of creating an invoice for each of the plurality of customers from the settlement information calculated in step (c) and forwarding the invoice for each customer to the customer's work station over the Internet.

3. A method according to claim 1 wherein step (b) comprises stacking the bids collected in step (a) from lowest price to highest and matching demand for the market service with a bid in the stack.

15 4. The method of claim 1 further comprising step (d) of collecting contract information from at least one customer.

5. The method of claim 1 wherein step (c) comprises calculating accounts payable and accounts receivable.

20 6. The method of claim 1 wherein step (a) comprises a step (a)(i) of collecting supply-side bids from energy generators.

7. The method of claim 6 wherein step (a) comprises a step (a)(ii) of collecting demand-side bids from consumers of power.

8. The method of claim 1 wherein step (c) comprises steps (c)(i) of receiving meter information and (c)(ii) calculating accounts payable and receivable by multiplying the received meter reading data by the clearing price calculated in step (b).

25 9. The method of claim 1 wherein step (c) comprises step (c)(i) of confirming that data necessary to complete settlement for a trading interval is available.

10. The method of claim 4 further comprising step (e) of collecting hourly meter reading data and wherein step (d) of collecting contract information includes step (d)(ii) of

094210209
050207 ET 21450

overriding step (c) and calculating settlement information based upon contract price and meter reading data.

11. The method of claim 4 further comprising step (e) of sending a confirmation notice to the customer over the Internet that the contract collected in step (d) has been accepted.

12. The method of claim 1 further comprising step (d) of receiving trading interval meter reading data.

13. The method of claim 12 further comprising step (e) of receiving monthly meter reading data.

14. The method of claim 12 further comprising step (e) of validating each trading interval meter reading data.

15. The method of claim 12 further comprising step (e) of modifying trading interval meter reading data.

16. A method according to claim 1 wherein step (a) is implemented through a graphical user interface.

17. A method according to claim 1 wherein step (a) is implemented through a bulk file upload facility.

18. A method according to claim 1 further comprising step (d) of viewing bid information collected in step (a).

19. A method according to claim 1 further comprising step (d) of modifying bid information collected in step (a).

20. A method according to claim 1 further comprising step (d) of verifying that a price and energy level value exist for each trading interval within a scheduled dispatch period.

21. A method according to claim 1 further comprising step (a) of collecting AGC bid data per unit per scheduled dispatch period.

22. A method according to claim 1 further comprising step (d) of notifying a customer that the bid information collected in step (a) is accepted.

23. A method according to claim 4 wherein the contract information has pre-determined condition associated therewith and the method further comprises a step (e) of dispatching a market service only if the pre-determined condition associated with the contract is met.

24. The method of claim 1 further comprising a step (d) of providing a market information publishing component that supplies a variety of customer informational needs.

25. The method of claim 1 further comprising a step (d) of providing a database population component that reorganizes data from many different sources into a common repository designed to suit customers' needs.

26. The method of claim 25 further comprising a step (e) of providing a report generation component that creates a report whenever a customer so requests wherein the report generation component takes data from the database population component.

27. A system for managing and coordinating the operation of a competitive energy marketplace, the system comprising:

a market operator;

a power system component that represents a network model of a physical power system including generating units, load facilities, transmission lines, and network areas;

a customer component that manages all information about entities that have a business relationship with the market operator, wherein the power system component and customer component are operatively coupled to the market operator to receive data from the market operator;

a bid component that enables customers to submit bids for energy services;

a meter reading component that stores meter readings submitted by customers, wherein the bid component and meter reading component are operatively coupled to customer users;

a settlement component that financially settles all markets based upon meter readings, operational information, bids and clearing prices wherein the settlement component is operatively coupled to the power system, customers, bid and meter reading components to receive data therefrom; and

a bill component operatively coupled to receive data from the customer and settlement components wherein the bill component summarizes the financial activity for each customer to be used on an invoice for services provided and/or received.

28. The system of claim 27 wherein the bid component enables customers to submit bids via a graphical user interface.

29. The system of claim 27 wherein the bid component enables customers to submit bids via bulk file upload facility.

30. The system of claim 27 further comprising a contract component operatively coupled to the settlement component wherein the contract component enables customers to submit contracts for services.

31. The system of claim 30 wherein the contract component enables customers to submit contracts via a graphical user interface.

32. The system of claim 30 wherein the contract component enables customers to submit contracts via a bulk file upload facility.

33. The system of claim 30 further comprising a market information publishing component that receives data from the customer, settlement, bill, meter reading, contract bid and power system components.

34. The system of claim 33 wherein the market information publishing component includes a database population component and a report generation component.

35. A method of facilitating, managing and coordinating the operation of a competitive marketplace using the Internet, the method comprising the steps of:

(a) collecting bid information for market services from a plurality of customers;

(b) collecting contract information for market services from at least one of the plurality of customers;

(c) scheduling the operation of units that provide the market services according to the bid and contract information collected in steps (a) and (b);

(d) deploying the operation of the units scheduled in step (c);

(e) collecting meter reading information from the units scheduled in step (c);

and

(f) settling the market in accordance with the bid and contract information collected in steps (a) and (b) and meter reading information collected in step (e).

36. The method of claim 35 further comprising step (g) of billing the plurality of customers according to the settlement determined in step (f).

37. The method of claim 35 further comprising step (g) of providing the schedule determined in step (c) to the plurality of customers.

38. The method of claim 35 further comprising step (g) of providing settlement information determined in step (f) to the plurality of customers.

5 39. The method of claim 35 herein steps (a) , (b) and (e) are performed over the Internet.

40. A computer program embodied on a computer readable medium for interfacing with a competitive marketplace, the computer program comprising:

code for collecting bids for market services from a plurality of customers over the
10 Internet;
code for calculating a clearing price for a market service; and
code for calculating settlement information based upon the clearing price calculated and the bids collected.

41. An article of manufacture for facilitating the operation of a competitive
15 marketplace, the article of manufacture comprising a computer readable medium having a management interface instructions comprising:

collecting bids for market services from a plurality of customers over the Internet;
calculating a clearing price for a market service; and
calculating settlement information based upon the clearing price calculated in step (b)
20 and the bids collected.

Abstract of the Disclosure

A system and method for facilitating, coordinating and managing the operation of a competitive marketplace via the Internet. The system and method collect bids for market services from a plurality of customers, calculates a clearing piece for the market service and
5 calculates settlement information based on the clearing piece calculated and the bids collected.




Figure 1





Figure 2



660207" E F 2 4 6 0

213

206

204

300

201




Figure - Home page as seen in Netscape browser

210

4

212

202

energy exchange™

Bids

Home

[Bid Information](#) | [Energy](#) | [AGC](#) | [Reserve](#) | [Capability](#) | [Resource Characteristics](#) | [Maintenance](#)

Current Date: Nov 10, 1998

Participant: Cadillac Gen Co.

Bid Submission Deadlines

Date Range

Energy Market	12:00	Nov 12, 1998 - Nov 21, 1998
AGC Market	12:00	Nov 12, 1998 - Nov 21, 1998
Reserve Market	12:00	Nov 12, 1998 - Nov 21, 1998
Operable Capability Market	12:00	Nov 12, 1998 - Nov 21, 1998
Installed Capability Market	12:00	Dec 1, 1998 - Sep 1, 1999
Resource Characteristics	12:00	Nov 12, 1998 - Nov 21, 1998

1. Enter Customer Search Criteria

☒ Customer ID *
☐ Customer Name
 As of: 11/10/1998

2. Find

3. Select Customer

Identifier	Name
903	Cadillac Gen Co.
904	Mustang Retail Co.
905	Rolls Royce Utility

OK

Contracts

Batch Scheduler

File Upload

Settlement

Meter Readings

Power System

Bids

Customers

Bill

About

energy exchange™

Bids

Home

Bid Information

Energy

AGC

Reserve

Capability

Resource Characteristics

Maintenance

Start

Helper

Edit

1. Select Bidding Action

Create new bid from scratch

2. Select Type of Bid

Normal

3. Select Dispatch Date

Nov 12, 1998

4. Choose Unit or Load

☒ Unit

☐ Dispatchable Load

AVALANCHE GAS

Next

Submit

Clear All

Reset

FIG 6

Bid Information

Energy

AGC

Reserve

Capability

Resource Characteristics

Maintenance

Start

Helper

Edit

4. Enter Data

Bid Helper

Block Selection

Bid Block

Begin
(hour ending)End
(hour ending)

Grid Column

Amount (MW)

Price (\$)

Submit

Clear All

Reset

Enter Normal bid for Cadillac Gas Co., AVALANCHE GAS Unit for Nov 12, 1998

701 702 703

Hr End	SS	LOL	HQDL	100	434	MW	Total
0100	0	60	534	15.0	25.0		534
0200	0	60	534	15.0	25.0		
0300	0	60	534	15.0	25.0		
0400	0	60	534	15.0	25.0		
0500	0	60	534	15.0	25.0		
0600	0	60	534	15.0	25.0		
0700	0	60	534	15.0	25.0		
0800	0	60	534	15.0	25.0		
0900	0	60	534	15.0	25.0		
1000	0	60	534	15.0	25.0		

Claimed Low Limit (MW)

50.0

Seasonal Claimed Capability (MW)

534.0

Contracts

File Upload

Meter Readings

Bids

Bill

Batch Scheduler

Settlement

Power System

Customers

About

[illegible]

Contracts Batch Scheduler File Upload Settlement Meter Readings Power System Bids Customers Bill About

Fig 8

energy exchange™

Bids



Bid Information | Energy | AGC | Reserve | Capability | Resource Characteristics | Maintenance

Start

Helper | Edit

1. Select Bidding Action

Create new bid from scratch

2. Select Dispatch Date

Nov 12, 1998

3. Choose Unit

AVALANCHE GAS

Next

Submit

Cancel

Reset

Contracts

File Upload

Meter Readings

Bids

Bill

Batch Scheduler

Settlement

Power System

Customers

About

energy exchange™

PiB



Bid Information | Energy **AGC**

Energy

AGC

Reserve

Capability

Resource Characteristics

Maintenance

Maintenance

Maintenance

Start Helper Edit

前

4. Enter Data

BidHelper

Begin
(hour ending)

End (hour ending)

Price (\$)

2020-06-04
2020-06-04
5:20:00
5:20:00
5:20:00

Submit

Clear All

Reset

Edit Bid

Edit AGC Characteristics

1001

Contracts

File Upload

Meter Readings

5:23

Batch Scheduler

Settlement

Power System

Customers

1509

Home

Bids

Bid Information

Energy

AGC

Reserve

Capability

Resource Characteristics

Maintenance

Start

Helper

Edit

4. Enter Data

Bid Helper

Begin (hour ending)

0100

End (hour ending)

2400

Range #

1

Low (MW)

High (MW)

Fill

Enter AGC Characteristics for Cadillac Gen Co. AVALANCHE GAS Unit for Nov 12, 1998

	Range 1 Limits		Range 2 Limits		Range 3 Limits		Range 4 Limits		Range #	Automatic Response Rate
	Low	High	Low	High	Low	High	Low	High		
0100	60	534							1	25.0
0200	60	534							2	
0300	60	534							3	
0400	60	534							4	
0500	60	534								
0600	60	534								
0700	60	534								
0800	60	534								
0900	60	534								
1000	60	534								
1100	60	534								
1200	60	534								

Edit Bid

Edit AGC Characteristics

Contracts

Batch Scheduler

File Upload

Settlement

Meter Readings

Power System

Bids

Customers

Bill

About

Fig 11

energy exchange™



Bids



Bid Information | Energy | AGC | Reserve | Capability | Resource Characteristics | Maintenance

Start | Help | Edit

1. Select Bidding Action

Create new bid from scratch

2. Select Type of Reserve Bid

10 Min Spinning (TMSR)

3. Select Dispatch Date

Nov 12, 1998

4. Choose Unit or Load

☒ Unit ☐ Dispatchable Load

AVALANCHE GAS

Next

Submit | Clear All | Reset

Contracts

Batch Scheduler

File Upload

Settlement

Meter Readings

Power System

Bids

Customers

Bill

About

FIG. 12

energy exchange™

Bids

Home

Bid Information | Energy | AGC | Reserve | Capability | Resource Characteristics | Maintenance

Start | Helper | Edit

1. Select Bidding Action

Create new bid from scratch

2. Select Market

☒ Operable Capability

☐ Installed Capability

3. Select Dispatch Date

Nov 12, 1998

Next

Cancel

Go for All

Reset

energy exchange™

Bids

Home

Bid Information | Energy | AGC | Reserve | Capability | Resource Characteristics | Maintenance

Start | Edit

1. Select Submission Action

Edit an existing

2. Select Dispatch Date

Nov 12, 1998

3. Select Unit or Load

☒ Unit ☐ Dispatchable Load

AVALANCHE GAS

Next

Search | Clear All | Reset

Contracts

File Upload

Meter Readings

Bids

Bill

Batch Scheduler

Settlement

Power System

Customers

About

[Bid Information](#)
[Energy](#)
[AGC](#)
[Reserve](#)
[Capability](#)
[Resource Characteristics](#)
[Maintenance](#)

Enter characteristics for Cadillac Gen. Co. AVALANCHE GAS Unit for Nov 12, 1998

1. Select Submission Action

Edit an existing

2. Select Dispatch Date

Nov 12, 1998

3. Select Unit or Load

Unit
☒ Dispatchable Load

AVALANCHE GAS

Next

Submit

Clear All

Reset

Unit Characteristics

Minimum Run Time (hr)	22
Minimum Shutdown Time (hr)	24
Startup Time From Cold Conditions (hr)	5
Shutdown Time Cold Condition Applies (hr)	25
Startup Time From Hot Conditions (hr)	5
Manual Response Rate (MW/min)	3.4
Hours Of Startup	0
Startup Profile	

Reserve Capability When Off-Line

MW Available In 10 Minutes	10.0
MW Available In 30 Minutes	15.0

Bid Information | Energy | AGC | Reserve | Capability | Resource Characteristics | Maintenance

Bid Parameters

Select Action

☒ Edit Existing Parameters

☐ Create New Parameters

Effective From: Nov 11, 1998

Submit

Clear All

Reset

Next



Contracts



New Search Result Helper

1. Select Contract Type

<input checked="" type="radio"/> Internal	<input checked="" type="radio"/> Unit
<input type="radio"/> External	<input type="radio"/> Load
	<input type="radio"/> System
	<input type="radio"/> Obligation

2. Select Market Product(s)

<input checked="" type="checkbox"/> Energy	<input type="checkbox"/> TMSR
<input type="checkbox"/> AGC	<input type="checkbox"/> TMNSF
<input type="checkbox"/> OPCAP	<input type="checkbox"/> TMOIR
<input type="checkbox"/> ICAP	

3. Specify Contract Duration (Hour Ending)

Begins	12/15/1998	01:00
Ends	12/15/1998	24:00
<input type="checkbox"/> Life of the Unit/Load		Next

Clear All

Submit

General Info Details Schedule Info Pre-Determined Cond ICAP Adj

Contracts **File Upload** **Meter Readings** **Bids** **Bill**
Batch Scheduler **Settlement** **Power System** **Customers** **About**

[New](#) [Search](#) [Result](#) [Help](#)

1. Select Contract Type
☒ Internal
☐ External


2. Select Market Product(s)
☒ Energy
☐ AGC
☐ OPCAP
☐ ICAP
☐ TMSR
☐ TMNSF
☐ TMOR

3. Specify Contract Duration (Hour Ending)
 Begins
 Ends
☐ Life of the Unit/Load [Next](#)

Enter Asset Contract Details:
 Asset Name
 Asset Percentage (%)
 (Percent carried to 4 decimal places, e.g. 80.1234)

[General Info](#) [Details](#) [Schedule Info](#) [Pre-Determined Cond](#) [ICAP Adj](#)

Contracts

 Home

Based on <input checked="" type="radio"/> Unit <input type="radio"/> External Contract		Enter Unit ID <input type="text"/>		Unit(s) Selected <input type="text"/>		<input checked="" type="radio"/> >= <input type="radio"/> < Amount (MWh) (Up to 3 decimal places)	
		<input checked="" type="radio"/> Availability <input type="radio"/> Generation		<input checked="" type="radio"/> EN <input type="radio"/> AN <input type="radio"/> OR		<input type="button" value="Add to List"/>	

ID	Type	Comparison	Power	Condition
Unit: 102	Availability	>=	5.65	END

General Info	Details	Schedule Info	Pre-Determined Cond	ICAP Adj
--------------	---------	---------------	---------------------	----------

ICAP Adj

Pre-Determined Cond

Schedule Info

General Info Details

Clear All

Submit

Submit

Contracts Batch Scheduler

File Upload
Settlement

Meter Readings Power System

Bids Customers

Bill About

<div style="border: 1px solid black; padding: 5px; width: fit-content; margin: 0 auto;"> Add to List </div>	<div style="border: 1px solid black; padding: 5px; width: fit-content; margin: 0 auto;"> Condition </div>	<div style="border: 1px solid black; padding: 5px; width: fit-content; margin: 0 auto;"> END </div>
---	---	---

100-443881

energy exchange™

Contracts

Home

New Search Result Help

1. Select Contract Type

☐ Internal
☒ External☐ Unit
☐ System w/ Unit Char.
☒ System
☐ Firm

2. Select Market Product(s)

☐ ICAP☒ Energy 1

(sold out of Op. Reserve & no OpCap)

☐ Energy 2

(not sold out of Op. Reserve & w/ OpCap)

3. Specify Contract Duration (Hour Ending)

Begins 12/15/1998 00:00

Ends 12/15/1998 24:00

☐ Life of the Unit/Load

Next

General Info Details Schedule Info Pre-Determined Cond ICAP Adj

Clear All

Submit

Contracts

File Upload

Meter Readings

Bids

Bill

Batch Scheduler

Settlement

Power System

Customers

About

energy exchangeTM

Contracts

New Search Result Helper

1. Select Contract Type

<input type="radio"/> Internal	<input type="radio"/> Unit
<input checked="" type="radio"/> External	<input type="radio"/> System w/ Unit Char.
	<input type="radio"/> System <input type="checkbox"/> Firm

2. Select Market Product(s)

<input type="checkbox"/> ICAP
<input checked="" type="checkbox"/> Energy 1 (sold out of Op. Reserve & no. OpCap)
<input type="checkbox"/> Energy 2 (not sold out of Op. Reserve & w/ OpCap)

3. Specify Contract Duration (Hour Ending)

Begins	12/15/1998	01:00
Ends	12/15/1998	24:00
Life of the Unit		Next

Clear All

Submit

Contract ID

Parties

Seller

Mercedes Utility

Buyer

New York

With Pre-determined Condition (for ext. purchase)

Reference ID

1234

Hydro-Quebec

Non-Standard ID

58789

ICAP Contract ID

Not Applicable to Hydro Quebec

General Info / Details / Schedule Info / Pre-Determined Cond / ICAP Adj

Contracts**File Upload****Meter Readings****Bids****Bill****Batch Scheduler****Settlement****Power System****Customers****About**

F16 26

energy exchange™

Contracts



New	Search	Result	Helper
-----	--------	--------	--------

1. Select Contract Type

Internal External

Unit System w/ Unit Char. System Film

2. Select Market Product(s)

	ICAP	Energy 1 (sold out of Op. Reserve & no OpCap)	Energy 2 (not sold out of Op. Reserve & w/ OpCap)
1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

3. Specify Contract Duration (Hour Ending):

Begins	12/15/1998	01:00	▶▶▶▶
Ends	12/15/1998	24:00	▶▶▶▶
Life of the Unicorn			
			Next

Clear All Submit

Contracts
Batch Scheduler
File Upload
Settlement

Meter Readings Power System

Bids
Customers

Bill About

Date	12/15/1998	<input type="radio"/>	Dispatchable	<input checked="" type="radio"/>	Must Take	<input type="radio"/>	Combo
------	------------	-----------------------	--------------	----------------------------------	-----------	-----------------------	-------

Enter MW Amounts (in header row) and Rates in \$ (in remaining rows):

Hr Ending	SS	MAX
0100	50.0	50.0
0200	50.0	50.0
0300	50.0	50.0
0400	50.0	50.0
0500	50.0	50.0
0600	50.0	50.0
0700	50.0	50.0
0800	50.0	50.0

Short Notice

Apply the data to -

☐ All Weekdays (Mon-Fri)
☐ All Weekends (Sat & Sun)

with you

General Info	Details	Schedule Info	Pre-Determined Cond	ICAP Adj
--------------	---------	---------------	---------------------	----------

New Search Result Help

1. Select Contract Type

☐ Internal
☒ External☐ Unit
☐ System w/ Unit Char.
☒ System ☐ Firm

2. Select Market Product(s)

☐ ICAP☒ Energy 1

(sold out of Op. Reserve & no OpCap)

☐ Energy 2

(not sold out of Op. Reserve & w/ OpCap)

3. Specify Contract Duration (Hour Ending)

Begins 12/15/1998 Ends 12/15/1998 ☐ Life of the Unit/Load

Next

Based on

☒ Unit☐ External Contract

Enter Unit ID

Unit(s) Selected

☒ Availability
(Up to 3 decimal places)☒ EN☐ AN☐ DR

ID	Type	Comparison	Power	Condition
Unit: 103	Availability	>=	10.25	END

Clear All

Submit

General Info

Details

Schedule Info

Pre-Determined Cond

ICAP Adj

Contracts

File Upload

Meter Readings

Bids

Bill

Batch Scheduler

Settlement

Power System

Customers

About

Applet MAIN_APPLET running

FIG. 20

[Contracts](#)
[Home](#)

[New](#)
[Search](#)
[Result](#)
[Help](#)

1. Select Search Criteria

Choose at least one:

☐ Contract ID

☐ Reference ID

☒ Type

☒ Internal
 ☐ External

☐ Unit
 ☒ System
 ☐ Firm
 ☐ Obligation

Optional:

☐ Party

Seller Nm
 Buyer Nm

☐ Market Product

Energy

☐ Duration

Begins
 Ends

[General Info](#)
[Details](#)
[Schedule Info](#)
[Pre-Determined Cond](#)
[ICAP Adj](#)

[Contracts](#)
[Batch Scheduler](#)
[File Upload](#)
[Settlement](#)

[Meter Readings](#)
[Power System](#)

[Bids](#)
[Customers](#)

[Bill](#)
[About](#)

FIG 30

New Existing

Search On

☒ Name☐ ID

As of:

11/10/1998

Find

Name

Cadillac Gen Co.

ID

903

OK

Customer Detail

Customer Type

☒ Participant☐ Non-P Participant☐ Pool Operator

Governance Requirements Status

☐ All Requirements Participant

Pool Status

☒ Active☐ Suspended☐ Terminated

Settlement Status

☒ Will Be Settled☐ Special Contract Processing (HQ)☒ Has Voting Share

General

Address

Contact

Duns

Related

Assets

Governance

Customer ID

903

As of:

11/11/1998

Customer Name

Cadillac Gen Co

☒

End

/ /

Submit

Reset

Contracts

File Upload

Meter Readings

Bids

Bill

Batch Scheduler

Settlement

Power System

Customers

About



Reset

New Existing

Search On

Name

C*

ID

As of:

11/10/1998

Find

Name

ID

Cadillac Gen Co.

903

OK

Contact

Type

General

Salutation

Mrs.

Last Name

Meyers

First Name

Natalie

Title

Carpenter

Phone

(816) 45-2600

Ext

23

Fax

(203) 888-8888

e Mail

company@cadillac.com

Notes:

Notes as of Nov 8

General

Address

Contact

Duns

Related

Assets

Governance

Customer ID

903

As of

11/11/1998

Customer Name

Cadillac Gen Co

End

/ /

Submit

Reset

Contracts

File Upload

Meter Readings

Bids

Bill

Batch Scheduler

Settlement

Power System

Customers

About

New Existing

Search On _____

Name	C*
ID	
As of:	11/10/1998
Find	

Name	ID
Cadillac Gen Co.	903

OK

To associate this customer with other existing customers, select the appropriate customer from the customer list table, set the effective date, and click "Add".

<input checked="" type="radio"/> Name	<input type="radio"/> ID
<input type="text"/>	*
Find	

Effective From/To	
From <input type="text"/>	<input type="button" value="Left"/> <input type="button" value="Right"/>
End <input type="text"/>	<input type="button" value="Left"/> <input type="button" value="Right"/>
<input checked="" type="checkbox"/>	Add
<input type="button" value="Remove"/>	

Related Customer Name	From	To
Mustang Retail Co.	11/06/1998	11/07/1998

General	Address	Contact	Duns	Related	Assets	Governance
Customer ID	903	As of	11/11/1998	<input type="button" value="Left"/> <input type="button" value="Right"/>	<input type="button" value="Left"/> <input type="button" value="Right"/>	<input type="button" value="Left"/> <input type="button" value="Right"/>
Customer Name	Cadillac Gen Co.					
	<input checked="" type="checkbox"/>	End	/ /	<input type="button" value="Left"/> <input type="button" value="Right"/>	<input type="button" value="Left"/> <input type="button" value="Right"/>	<input type="button" value="Left"/> <input type="button" value="Right"/>

energy exchange™

Customers



Home

New Existing

Search On

Name

C*

ID

As of:

11/10/1998

Find

Name

Cadillac Gen Co.

ID

903

OK

Assets

For additional information or to assign an asset, go to "Power System Maintenance"

Asset Name	Type	Type of Responsibility	% Owned
PANTHER P/S PUMP	Load Facility		40.0
AVALANCHE GAS	Generating Unit	Lead Participant / Meter Reader	5.0E-4
MIGHTY DUCK LOAD	Load Facility		19.0001
PANTHER P/S GEN	Generating Unit		80.9999

General

Address

903

Contact

Cadillac Gen Co.

Duns

Related

Assets

Governance

Customer ID

As of

11/11/1998

End

/ /

Submit

Reset

Contracts

Batch Scheduler

File Upload

Settlement

Meter Readings

Power System

Bids

Customers

Bill

About

FIG 37

energy exchange™

Customers



Home

New Existing

Search On

Name

ID

As of:

11/10/1998

Find

Name

ID

Cadillac Gen Co.

903

OK

Governance

For the month of:

October

1998

Peak Load (P)

10.0

Total Load (E)

50.

Generation Ownership (G)

150.

Entitlements (X)

75.

Transmission (KV/Miles (M))

5.799

Transmission Revenue Requirement (R)

\$ 60.00

Submit

Reset

Clear

Contact

Duns

Related

Assets

Governance

User Profile

Agent

Customer ID

903

As of

11/11/1998

Customer Name

Cadillac Gen Co.

End

Submit

Contracts

File Upload

Meter Readings

Bids

Bill

Batch Scheduler

Settlement

Power System

Customers

About

FIG 38

energy exchange™

Customers



Home

New Existing

Search On



Name

C*



ID

As of:

11/10/1998

Find

Name

Cadillac Gen Co.

ID

903

OK

User Profile Maintenance

User ID

5555555555

Find

User Name

test

Begin Date

11/11/1998

End

Access Area

Modify View None

Access Area

Modify View None

Customer Governance

Power System

Billing Info

Billing Maint

Contract

Bill

Settlement

Pricing

Set Job Sub

Billing Job Sub

Gov Job Sub

Metering

Operations

Contact

Duns

Related

Assets

Governance

User Profile

Agent

Customer ID

903

As of

11/11/1998

Customer Name

Cadillac Gen Co.

End

11

Submit

Reset

Add

Remove

Submit

Reset

Contracts

Batch Scheduler

File Upload

Settlement

Meter Readings

Power System

Bids

Customers

Bill

About

Fig. 39

energy exchange™

Customers

Home

New Existing

Search On

☐ Name☐ ID

As of:

11/10/1998

Find

Name

ID

Cadillac Gen Co.

903

OK

Agent Maintenance

☒ Name☐ ID

Find

Effective From/To

From

11/11/1998

End

Name

ID

Mustang Retail Co.

904

Rolls Royce Utility

905

Mercedes Utility

906

Nissan NUG

908

New York

909

Hydro-Quebec

50001

Add

Remove

Submit

Reset

Contact

Duns

Related

Assets

Governance

User Profile

Agent

Customer ID

903

As of

11/11/1998

End

/ /

Customer Name

Cadillac Gen Co.

Submit

Reset

Contracts

Batch Scheduler

File Upload

Meter Readings

Power System

Bids

Customers

Bill

About

FIG 40

[Network Area](#) | [Network Node](#) | [Generating Unit](#) | [Load Facility](#) | [Tie Line](#) | 4101

[New](#) | [Existing](#) | [Search Results](#)

Network Area Identifier: 32 This information effective: 11/13/1998
 Network Area Description: NEPOOL

Search Results

2. Select Network Area

Identifier	Description
32	NEPOOL
33	PTF
34	External
35	MEPCO
36	HQ

OK

Network Nodes in this Network Area

Identifier	Description
401	PTF
402	WEST
403	EAST

Network Nodes NOT in this Network Area

Identifier	Description
404	HQIC
405	HQ
406	MEPCO
407	NB
408	NY

Find Network Node

1. Enter Search Criteria

☒ Node Identifier *

☐ Area Identifier

Find

Submit

Reset

Network Node Identifier: 402

Network Node Description: WEST

Network Area

Network Areas associated with this Network Node

Identifier	Description
32	NEPOOL
35	MEPCO

Details

<< Add

Remove >>

This information effective: 11/13/1998

Network Areas NOT associated with this Network Node

Identifier	Description
33	PTF
34	External
36	HQ

Details



Network Area Network Node Generating Unit Load Facility Tie Line

New Existing Search Results

Find Network Node

1. Enter Search Criteria

Node Identifier *

Area Identifier

Find

Submit

Reset

Load Facility

Load Facilities associated with this Network Node

Identifier	Name
201	MIGHTY DUCK LO
202	HURRICANE LOAD
206	COYOTE LOAD
1402	402 Losses

Details

<< Move

This information effective: 11/13/1998

1. Enter Search Criteria

Load Identifier

2. Find

3. Select Load Facility

Identifier	Name	Node

Network Area Generating Unit Load Facility Tie Line

Contracts

Batch Scheduler

File Upload

Settlement

Meter Readings

Power System

Bids

Customers

Bill

About



Power System



Network Area | Network Node | Generating Unit | Load Facility | Tie Line

New | Existing | Search Results

Generating Unit Identifier: 101
Generating Unit Name: AVALANCHE GAS
Changes made effective from: 11/13/1998

Search Results

2. Select Generating Unit

Identifier	Name
101	AVALANCHE GAS
102	PANTHER P/S GEN
103	LIGHTNING HYDRO
104	DALLAS STAR

OK

Submit

Reset

Network Node Association

Network Node Identifier
403

Details

Generating Unit Details

Plant Name X

Operating Status Active

Type Gas

Winter Claimed Capability 534.0 MW

Summer Claimed Capability 551.37 MW

Claimed Low Limit 60.0 MW

General | Status | Staffing | Ownership

Contracts | Batch Scheduler | File Upload | Settlement | Meter Readings | Power System | Bids | Customers | Bill | About

FIG 4/6

energy exchangeTM

Power System

Network Area | Network Node | **Generating Unit** | Load Facility | Tie LineNew | Existing | **Search Results**

Search Results

2. Select Generating Unit

Identifier	Name
101	AVALANCHE GAS
102	PANTHER P/S GEN
103	LIGHTNING HYDRO
104	DALLAS STAR

OK

Submit

Reset

Changes made
effective from:

11/13/1998

Generating Unit Identifier: 101

Generating Unit Name: AVALANCHE GAS

AGC Market

Max # of AGC Ranges: 2

Black Start Capability

☐ Yes☒ No

Market Status

Market	Status
Energy	Active
AGC	Active
TMSR	Active
TMNSR	Active
TMOR	Active

General | Status | Staffing | Ownership

Contracts

Batch Scheduler

File Upload

Settlement

Meter Readings

Power System

Bids

Customers

Bill

About

Fig. 47

energy exchangeTM

Power System

Home

Network Area | Network Node | **Generating Unit** | Load Facility | Tie LineNew | Existing | **Search Results**

Search Results

2. Select Generating Unit

Identifier	Name
101	AVALANCHE GAS
102	PANTHER P/S GEN
103	LIGHTNING HYDRO
104	DALLAS STAR

OK

Submit

Reset

Generating Unit Identifier:

101

Generating Unit Name:

AVALANCHE GAS

Changes made
effective from:

11/13/1998

Weekly Staffing

Days	Start Time	Stop Time	Call-In Time	Unstaffed
Weekdays	1900	1900	2.0 hrs	
Saturday	1900	1900	2.0 hrs	
Sunday	1900	1900	2.0 hrs	

Use the same times for all days

All Days

General | Status | Staffing | Ownership

Contracts

Batch Scheduler

File Upload

Settlement

Meter Readings

Power System

Bids

Customers

Bill

About

FIG 48

energy exchange™

Power System

Home

Network Area | Network Node | Generating Unit | Load Facility | Tie Line

New | Existing | Search Results

Generating Unit Identifier: 101

Generating Unit Name: AVALANCHE GAS

Changes made
effective from: 11/13/1998

Search Results

2. Select Generating Unit

Identifier	Name
101	AVALANCHE GAS
102	PANTHER P/S GEN
103	LIGHTNING HYDRO
104	DALLAS STAR

OK

Submit

Reset

1. Enter Customer Search Criteria

☒ Customer ID☐ Customer Name

2. Find

3. Select Customer

Identifier	Name

OK

Customer Name

Ownership Share %

Lead Participant

Meter Reader

OK

Customer Share

Cadillac Gen Co. 39.9999
Rolls Royce Utility 60.0001

Total 100.0000

Lead Participant Cadillac Gen Co

Meter Reader Cadillac Gen Co

General | Status | Staffing | Ownership

Contracts

Batch Scheduler

File Upload

Settlement

Meter Readings

Power System

Bids

Customers

Bill

About

Fig. 4.1



Network Area | Network Node | Generating Unit | Load Facility | Tie Line

New | Existing | Search Results

Search Results

2. Select Load Facility

Identifier	Name
201	MIGHTY DUCK LOAD
202	HURRICANE LOAD
203	SABRE LOAD
204	FLAME LOAD
205	CAPITAL LOAD
206	COYOTE LOAD

OK

Submit

Reset

Changes made
effective from:

11/13/1998

Load Facility Identifier: 202

Load Facility Name: HURRICANE LOAD

Network Node Association

Network Node Identifier

402

Details

Load Facility Details

Estimated Peak Load

1000.0

MW

Operating Status

Active

Type

Normal

Dispatchable

Yes

No

Metered

Yes

No

General

Ownership

Contracts

Batch Scheduler

File Upload

Settlement

Meter Readings

Power System

Bids

Customers

Bill

About

F16.50



Netscape

File Edit View Go Communicator Help



Bookmarks

Go to: <https://www.iso-ne.com>



What's Related



energy exchangeTM

Power System



Home

Network Area | Network Node | Generating Unit | Load Facility | Tie Line

New | Existing | Search Results

Search Results

2. Select Load Facility

Identifier	Name
201	MIGHTY DUCK LOAD
202	HURRICANE LOAD
203	SABRE LOAD
204	FLAME LOAD
205	CAPITAL LOAD
206	COYOTE LOAD

OK

Submit

Reset

Load Facility Identifier: 202

Load Facility Name: HURRICANE LOAD

Customer Name:

Ownership Share: %

OK

Customer Share: 100.0000

Mustang Retail Co.

Total: 100.0000

Lead Participant:

Meter Reader:

General Ownership

Changes made effective from: 11/13/1998

1. Enter Customer Search Criteria

☒ Customer ID

Customer Name:

Find

2. Select Customer

Identifier

Name

OK

Contracts

Batch Scheduler

File Upload

Settlement

Meter Readings

Power System

Bids

Customers

Bill

About

Fig 51

Search Results

2. Select Tie Line

Identifier	Name
301	Red
302	Orange
303	Yellow
304	Green
305	Blue
306	Indigo

5

Summary

Report

General

Ownership

Network Node Association -

Monitor Node Identifier

401

Detail 2

Receiver Node Identifier

403

Details

Tie Line Details

Capacity

2000.0

Operating Status

Active

Type

УНЭ



Contracts

File Upload

Meter Readings

Spide



Batch Scheduler

Settlement

Power System

Customers

About



Power System



Network Area | Network Node | Generating Unit | Load Facility | Tie Line

New | Existing | Search Results

Search Results

2. Select Tie Line

Identifier	Name
301	Red
302	Orange
303	Yellow
304	Green
305	Blue
306	Indigo

OK

Submit

Reset

Changes made
effective from:

11/13/1998

1. Enter Customer Search Criteria

☒ Customer ID

Customer Name

Find

3. Select Customer

Identifier	Name
903	Cadillac Gen Co.
904	Mustang Retail Co.
905	Rolls Royce Utility
906	Mercedes Utility

OK

General Ownership

Contracts | Batch Scheduler | File Upload | Settlement | Meter Readings | Power System | Bids | Customers | Bill | About

Fig. 5-3


energy exchangeTM**Batch Scheduler** Home

General | Billing | Log

Select a Job:

Settle All Hourly Markets
Settle An Hourly Market
Settle Installed Capability Market
Confirm Settlement Data
Confirm All Hourly Settlement Data
Prepare Bill
Print Bill Invoice
Calculate Governance Variables
Calculate Voting Shares
Perform Monthly Meter Adjustment
Determine Hourly Entitlements

Priority:

☐ High
☐ Medium
☒ Low

Run on:**Market Service****Begin Date****Begin Time****End Date****End Time****Submit****Clear**

Run on: / /

Market Service: Energy

Begin Date: / /

Begin Time: / /

End Date: / /

End Time: 00:00

Contracts**File Upload****Meter Readings****Bids****Bill****Batch Scheduler****Settlement****Power System****Customers****About**

11/16/01


energy exchange™**Batch Scheduler** Home

General

Billing

Log

Select a Job:

Settle All Hourly Markets
Settle An Hourly Market
Settle Installed Capability Market
Confirm Settlement Data
Confirm All Hourly Settlement Data
Prepare Bill

Print Bill Invoice

Calculate Governance Variables
Calculate Voting Shares
Perform Monthly Meter Adjustment
Determine Hourly Entitlements

Priority:☐ High☐ Medium☒ Low

Run on:

/ /




Due Date

/ /

Submit

Clear

Contracts**File Upload****Meter Readings****Bids****Bill****Batch Scheduler****Settlement****Power System****Customers****About**

**Batch Scheduler**

General | **Billing** | Log

Select a Job:

- Settle All Hourly Markets
- Settle An Hourly Market
- Settle Installed Capability Market
- Confirm Settlement Data
- Confirm All Hourly Settlement Data
- Prepare Bill
- Print Bill Invoice
- Calculate Governance Variables
- Calculate Voting Shares**
- Perform Monthly Meter Adjustment
- Determine Hourly Entitlements

Run on: / /

Begin Date / /

Begin Time 00:00

Submit Clear

Contracts

Batch Scheduler

File Upload

Meter Readings

Bids

Customers

Bill

About

[General](#)
[Billing](#)
[Log](#)

[Process Bills](#)
[Rollback Bills](#)

Select Billed Services and Data:

<input checked="" type="checkbox"/> Energy	Bill Start Date	01/15/1998 01:00:00 AM	Bill End Date	1/15/1998	06:00:00
<input checked="" type="checkbox"/> AGC	Bill Start Date	01/15/1998 01:00:00 AM	Bill End Date	1/15/1998	06:00:00
<input checked="" type="checkbox"/> TMSR	Bill Start Date	01/15/1998 01:00:00 AM	Bill End Date	1/15/1998	06:00:00
<input checked="" type="checkbox"/> TMNSR	Bill Start Date	01/15/1998 01:00:00 AM	Bill End Date	1/15/1998	06:00:00
<input checked="" type="checkbox"/> TMOR	Bill Start Date	01/15/1998 01:00:00 AM	Bill End Date	1/15/1998	06:00:00
<input type="checkbox"/> Installed Capability	Bill Start Date	01/01/1998 00:00:00 AM	Bill End Date	2/1/1998	00:00:00
<input checked="" type="checkbox"/> Operable Capability	Bill Start Date	01/15/1998 01:00:00 AM	Bill End Date	1/15/1998	06:00:00
<input type="checkbox"/> EHV/LV	Bill Start Date	12/01/1997 00:00:00 AM	Bill End Date		
<input type="checkbox"/> Tariff	Bill Start Date	12/01/1997 00:00:00 AM	Bill End Date		
<input type="checkbox"/> Adjustment	Bill Start Date	12/01/1997 00:00:00 AM	Bill End Date		
<input type="checkbox"/> Bill Data	Bill Start Date	12/01/1997 00:00:00 AM	Bill End Date		

Submit

Fig 57



General Billing Log

Process Bills Rollback Bills

Select Billed Services and Data

<input checked="" type="checkbox"/> Energy	Bill Start Date	01/15/1998 00:00:00 AM	Bill End Date	1/15/1998	01:00:00
<input checked="" type="checkbox"/> AGC	Bill Start Date	01/15/1998 00:00:00 AM	Bill End Date	1/15/1998	01:00:00
<input checked="" type="checkbox"/> TMSR	Bill Start Date	01/15/1998 00:00:00 AM	Bill End Date	1/15/1998	01:00:00
<input checked="" type="checkbox"/> TMNSR	Bill Start Date	01/15/1998 00:00:00 AM	Bill End Date	1/15/1998	01:00:00
<input checked="" type="checkbox"/> TMOR	Bill Start Date	01/15/1998 00:00:00 AM	Bill End Date	1/15/1998	01:00:00
<input checked="" type="checkbox"/> Operable Capability	Bill Start Date	01/15/1998 00:00:00 AM	Bill End Date	1/15/1998	01:00:00

Submit

Contracts

File Upload

Meter Readings

Bids

Bill

Batch Scheduler

Settlement

Power System

Customers

About



Batch Scheduler



General	Billing	Log
1	1	1
2	2	2
3	3	3
4	4	4
5	5	5
6	6	6
7	7	7
8	8	8
9	9	9
10	10	10
11	11	11
12	12	12
13	13	13
14	14	14
15	15	15
16	16	16
17	17	17
18	18	18
19	19	19
20	20	20
21	21	21
22	22	22
23	23	23
24	24	24
25	25	25
26	26	26
27	27	27
28	28	28
29	29	29
30	30	30
31	31	31
32	32	32
33	33	33
34	34	34
35	35	35
36	36	36
37	37	37
38	38	38
39	39	39
40	40	40
41	41	41
42	42	42
43	43	43
44	44	44
45	45	45
46	46	46
47	47	47
48	48	48
49	49	49
50	50	50
51	51	51
52	52	52
53	53	53
54	54	54
55	55	55
56	56	56
57	57	57
58	58	58
59	59	59
60	60	60
61	61	61
62	62	62
63	63	63
64	64	64
65	65	65
66	66	66
67	67	67
68	68	68
69	69	69
70	70	70
71	71	71
72	72	72
73	73	73
74	74	74
75	75	75
76	76	76
77	77	77
78	78	78
79	79	79
80	80	80
81	81	81
82	82	82
83	83	83
84	84	84
85	85	85
86	86	86
87	87	87
88	88	88
89	89	89
90	90	90
91	91	91
92	92	92
93	93	93
94	94	94
95	95	95
96	96	96
97	97	97
98	98	98
99	99	99
100	100	100

Index number:

Delete

Carroll

Index	Job Name	Priority	Status	Parameter	Value
1	Prepare Bill	Low	Completed Successfully	Market Service	Energy
2	Settle All Hourly Markets	Low	Completed Successfully	Begin Date Time End Date Time	Thu Jan 15 00:00:00 EST 1998 Thu Jan 15 01:00:00 EST 1998

Contracts

File Upload

Meter Readings

Spice

Batch Scheduler

Settlement

Power System

Customers

About

Applet MAIN_APPLET running

F16 59



Settlement



Administered Price | Parameter Maintenance

Selection

Market:

Energy

Date: From:

Jan 15, 1998

00:00

To:

Jan 15, 1998

01:00

Retrieve

Submit

Energy Market Clearing Price

From	To	Price	Type
01/15/1998 0:00	01/15/1998 1:00	65.08	Data Correction

From

01/15/1998 0:00

To

01/15/1998 1:00

Clearing Price

000000065 08

Type

Data Correction

Update

Reset

Contracts

File Upload

Bids

Bill

Batch Scheduler

Power System

Customers

About

F16-60

energy exchange™

Settlement

 Home

Administered Price | Parameter Maintenance

Selection

Market:

AGC

Date:

From:

Jan 15, 1998

00:00

To:

Jan 15, 1998

01:00

Retrieve

Submit

AGC Market Clearing Price

From	To	Price	Type
01/15/1998 0:00	01/15/1998 1:00	50.0	Clearing Price

From:

01/15/1998 0:00

To:

01/15/1998 1:00

Clearing Price

000000050.00

Type

Clearing Price

Update

Reset

Contracts

File Upload

Bids

Bill

Batch Scheduler

Power System

Customers

About

fig 61



Netscape

File Edit View Go Communicator Help

Bookmarks Go to: <https://www.iso-ne.com> What's Related

energy exchangeTM

Settlement



Home

Administered Price Parameter Maintenance

Parameter: Trading Interval

As Of	Market	Length	Measure
01/01/1998 14:17	Energy	1	HOUR

Select Market Service

Energy
AGC
TMSR
TMNSR
TMOD

Retrieve

Entering Trading Interval value for Energy

As Of	Market	Length	Measure
12/1/1998		0	MINUTE

Add

Reset

Submit

Contracts

File Upload

Meter Readings

Bids

Bill

Batch Scheduler

Settlement

Power System

Customers

About

Fig 62

energy exchange™ Settlement Home

Administered Price Parameter Maintenance

Parameter: HQ FEC

As Of	Until	Value
01/01/1998 0:00	01/01/1999 0:00	0.0

Entering Hydro-Quebec Firm Energy Contract Rate Value

As Of	Until	Value
1 / 1/1998	1 / 1/1998	0.0

Add

Reset

Submit

Contracts

File Upload

Meter Readings

Bids

Bill

Batch Scheduler

Settlement

Power System

Customers

About

FIG 63

Administered Price Parameter Maintenance

Parameter: ISO Objective Capability

Date

Year: 1998-1999

OK

Year	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct
------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

1994-1995												
1995-1996												
1996-1997												
1997-1998												

1998-1999	5	10	15	20	25	30	35	40	45	50	55	60
-----------	---	----	----	----	----	----	----	----	----	----	----	----

Entering ISO Objective Capability Value

Year	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct
1998-1999	5	10	15	20	25	30	35	40	45	50	55	60

Add

Reset

Submit

Contracts

File Upload

Meter Readings

Bids

Bill

Batch Scheduler

Settlement

Power System

Customers

About

Administered Price Parameter Maintenance

Parameter: Phase Out Factor

As Of	Until	Value
12/01/1998 0:00	01/01/1999 0:00	20.0

Entering Phase Out Factor Value

As Of	Until	Value
12/ 1/1998	00:00	1 / 1/1999
	00:00	20.0

Add

Reset

Submit

Contracts

File Upload

Meter Readings

Bids

Bill

Batch Scheduler

Settlement

Power System

Customers

About

Parameter	Price	Maintenance
1	100	10
2	150	15
3	200	20
4	250	25
5	300	30
6	350	35
7	400	40
8	450	45
9	500	50
10	550	55
11	600	60
12	650	65
13	700	70
14	750	75
15	800	80
16	850	85
17	900	90
18	950	95
19	1000	100
20	1050	105
21	1100	110
22	1150	115
23	1200	120
24	1250	125
25	1300	130
26	1350	135
27	1400	140
28	1450	145
29	1500	150
30	1550	155
31	1600	160
32	1650	165
33	1700	170
34	1750	175
35	1800	180
36	1850	185
37	1900	190
38	1950	195
39	2000	200
40	2050	205
41	2100	210
42	2150	215
43	2200	220
44	2250	225
45	2300	230
46	2350	235
47	2400	240
48	2450	245
49	2500	250
50	2550	255
51	2600	260
52	2650	265
53	2700	270
54	2750	275
55	2800	280
56	2850	285
57	2900	290
58	2950	295
59	3000	300
60	3050	305
61	3100	310
62	3150	315
63	3200	320
64	3250	325
65	3300	330
66	3350	335
67	3400	340
68	3450	345
69	3500	350
70	3550	355
71	3600	360
72	3650	365
73	3700	370
74	3750	375
75	3800	380
76	3850	385
77	3900	390
78	3950	395
79	4000	400
80	4050	405
81	4100	410
82	4150	415
83	4200	420
84	4250	425
85	4300	430
86	4350	435
87	4400	440
88	4450	445
89	4500	450
90	4550	455
91	4600	460
92	4650	465
93	4700	470
94	4750	475
95	4800	480
96	4850	485
97	4900	490
98	4950	495
99	5000	500
100	5050	505
101	5100	510
102	5150	515
103	5200	520
104	5250	525
105	5300	530
106	5350	535
107	5400	540
108	5450	545
109	5500	550
110	5550	555
111	5600	560
112	5650	565
113	5700	570
114	5750	575
115	5800	580
116	5850	585
117	5900	590
118	5950	595
119	6000	600
120	6050	605

Parameter: New Unit Adj. Factor

From: Dec 1, 1998 00:00

To: Jan 1, 1999 00:00

OK

Select Asset

- PANTHER P/S PUMP
- LIGHTNING HYDRO
- PANTHER P/S GEN
- AVALANCHE GAS
- MIGHTY QUICK LOAD

Retrieve

Entering New Unit Adjustment Factor value for PANTHER P/S PUMP

As Of	Until	Value
12/ 1/1998	1 / 1/1999	20.0

energy exchange™

Settlement



Administered Price Parameter Maintenance

Parameter: Adjusted Monthly Peak

Date

From: Oct 1, 1998

To: Nov 1, 1998

OK

Select Customer

Cadillac Gen Co.
Mustang Retail Co.
Rolls Royce Utility
Mercedes Utility
Nissan Hill Co.

Retrieve

As Of	Until	Value
10/1/1998	11/1/1998	30.0

Entering Adjusted Monthly Peak Load value for Cadillac Gen Co.

As Of	Until	Value
10/1/1998	11/1/1998	30.0
Add		Reset
		Submit

Contracts

Batch Scheduler

File Upload

Settlement

Meter Readings

Power System

Bids

Customers

Bill

About



Settlement



Administered Price Parameter Maintenance

Parameter:

Trading Interval	▼
Trading Interval	▲
Est. New Unit Adj. Factor	▼
HQ FEC	▼
ISO Objective Capability	▼
Phase Out Factor	▼
Regs-MW Conv. Factor	▼
HQ Loss Factor	▼
MEPCO Loss Factor	▼

As Of	Market	Length	Measure
01/01/1998 14:17	Energy	1	HOUR

Select Market Service

Energy	▲
AGC	▼
TMSR	▼
TMNSR	▼
TMOD	▼

Retrieve

Entering Trading Interval value for Energy

As Of	Market	Length	Measure
12/1/1998 00:00		0	MINUTE

Add

Reset

Submit

Contracts

File Upload

Meter Readings

Bids

Bill

Batch Scheduler


Settlement

Power System

Customers

About

FIG 68



Settlement



Administered Price Parameter Maintenance

Parameter: Trading Interval

Maximum Uplift Threshold
New Unit Adj. Factor
Unit Act Avail. with
Unit Act Avail. without
Unit Target Availability
Adjusted Monthly Peak
HQ NICC
Outside Trans. Adj.

As Of	Market	Length	Measure
01/01/1998 14:17	Energy	1	HOUR

Select Market Service

Energy
AGC
TMSR
TMNSR
TMOD

Retrieve

Entering Trading Interval value for Energy

As Of	Market	Length	Measure
12/1/1998 00:00		0	MINUTE

Add

Reset

Submit

Contracts

File Upload

Bids

Bill

Batch Scheduler

Settlement

Power System

Customers

About

energy exchange™**Bill**

Adjustments | Market System

New | Existing | Search | Helper

Choose Adjustment Type:

☒ Balanced☐ Unbalanced

Adjustment Date

11/17/1998

09 32 09

Adjustment Reason

Reactivation Adjustment

Document Reference

11-01-98 React Adjust.doc

☒ Enclosure

Adjustment Description

Cadillac Gen Co was undercharged for past adj

Customer Name

Cadillac Gen Co

Mercedes Utility

Adjustment Amount (\$)

100.00

-100.00


Net Balance:

\$ 0.00

Clear Fields

Contracts**File Upload****Meter Readings****Bids****Bill****Batch Scheduler****Settlement****Power System****Customers****About**

energy exchange™



Bill



Adjustments Market System

Market System Details Customer Invoice

Invoice Processing Date

11/17/1998

	Energy	AGC	TMSR	TMNSR	Receivables	Payables
Cadillac-Gen Co.	\$ 3,300.00	\$ 0.00	\$ 0.00	\$ 256.00		\$ 7,011.00
Mustang Retail Co.	\$-1474.14	\$-2555.16	\$ 0.00	\$-327.58	\$ 6,977.58	
Rolls Royce Utility	\$-1024.14	\$-2555.16	\$ 0.00	\$ 56.41	\$ 3,548.57	
Mercedes Utility	\$-801.71	\$ 5,110.33	\$ 0.00	\$ 15.17		\$ 3,515.16
Hydro-Quebec	\$ 0.00	\$ 0.00	\$ 0.00	\$ 0.00		\$ 0.00
NEPOOL	\$ 0.00					\$ 0.00
Total	\$ 0.00	\$ 0.00	\$ 0.00	\$ 0.00	\$ 10,526.16	\$ 10,526.16

Details

Contracts

File Upload

Meter Readings

Bids

Bill


Batch Scheduler

Settlement

Power System

Customers

About



Adjustments Market System

Market System Details Customer Invoice

Customer Name: Cadillac Gen Co.

Net Invoice Total:

\$ 11,511.00

Billed Service

Date

Amount

Invoice Processing Date

11/10/1998

<input checked="" type="checkbox"/> Energy	01/15/1998 00:00:00-01/15/1998 01:00:00	\$ 3,800.00
<input type="checkbox"/> Energy Market		\$ 3,800.00
<input checked="" type="checkbox"/> Sum of Energy Settlement		\$ 3,300.00
<input checked="" type="checkbox"/> Sum of Uplift Pmt.		\$ 500.00
<input checked="" type="checkbox"/> Sum of Congestion Uplift Chg.		\$ 0.00
<input type="checkbox"/> Sum of Uplift Chg.		\$ 0.00
<input type="checkbox"/> Uplift Charge		\$ 0.00
<input checked="" type="checkbox"/> AGC	01/15/1998 00:00:00-01/15/1998 01:00:00	\$ 0.00
<input checked="" type="checkbox"/> TMSR	01/15/1998 00:00:00-01/15/1998 01:00:00	\$ 4,000.00
<input checked="" type="checkbox"/> TMNSR	01/15/1998 00:00:00-01/15/1998 01:00:00	\$ 258.00
<input checked="" type="checkbox"/> TMOR	01/15/1998 00:00:00-01/15/1998 01:00:00	\$ 50.00
<input checked="" type="checkbox"/> Operable Capability	01/15/1998 00:00:00-01/15/1998 01:00:00	\$ 3,405.00

Contracts

File Upload

Meter Readings

Bids

Bill

Batch Scheduler

Settlement

Power System

Customers

About

Fig 72

energy exchange™

Meter Reading



Hourly Meter Readings Monthly Meter Readings

Start Results

1. Select Date

Now 4 11 1998

2. Select Asset Type

All Assets

3. Select Display Criteria

☒ All Assets
☐ Assets with missing readings

4. Retrieve Asset List

Retrieve

Select a Company

Cadillac Gen Co.

Clear All

- Contracts
- Batch Scheduler
- File Upload
- Meter Readings
- Power System
- Bids
- Customers
- Bill
- About

energy exchange™

Meter Reading

Home

Hourly Meter Readings Monthly Meter Readings

Start Results

5. Select Asset Name

Asset Name	Asset Type
AVALANCHE GAS	Unit

Select a Company

Clear All

6. Enter readings for AVALANCHE GAS on Nov 11, 1998

Hour Ending	Readings (MWh)
0200	50.0
0300	50.0
0400	50.0
0500	50.0
0600	50.0
0700	50.0
0800	50.0
0900	50.0
1000	50.0
1100	50.0
1200	50.0
1300	50.0

Reset Grid

Submit

Total MWh: 500.0

Contracts Batch Scheduler



File Upload Settlement

Meter Readings Power System

Bids Customers

Bill About

FIG 74



Meter Reading

Home

Hourly Meter Readings Monthly Meter Readings

Start Results

1. Select Year 1998

2. Select Asset Type All Assets

3. Select Display Criteria
☒ All Assets
☐ Assets with missing readings

4. Retrieve Asset List Retrieve

Select a Company Cadillac Gen Co

Clear All

FIG 75

Hourly Meter Readings

Monthly Meter Readings

Start

Results

5. Select Asset Name

Asset Name

Asset Type

AVALANCHE GAS

Unit

Select a Company

Clear All

6. Enter readings for AVALANCHE GAS for 1998

Month	Readings (M100h)
January	50.0
February	50.0
March	50.0
April	50.0
May	50.0
June	50.0
July	50.0
August	50.0
September	50.0
October	50.0
November	50.0
December	50.0

Reset Grid

Submit

FIG 76

66020T E F 2 1 2 4 5 0




Figure 1: Technical Architecture

The diagram illustrates a network architecture with the following components and connections:

- External Connections:** Two T1 lines connect to CISCO-2514 routers. One T1 line is labeled "To OASIS Net" and the other "To Pay Roll / Human-Resources".
- Core Network:** A central FDDI Ring connects various devices. Handwritten "106" is next to the top T1 line, and another "106" is next to the bottom T1 line.
- Top Section:**
 - A CISCO-4500 router connects to "To Pay Roll / Human-Resources" and "To EMS".
 - A FireWall connects to the CISCO-4500 and the FDDI Ring.
 - 3com 10baseT switches connect to the FireWall and the FDDI Ring.
 - 3com FDDI interfaces connect to the FDDI Ring.
 - 8400 Memory Channel units connect to the FDDI Ring and Storage Works.
 - 8400 DEV units connect to the FDDI Ring and Storage Works.
 - SCSI Storage Tek Tape units connect to the FDDI Ring.
 - Handwritten "112" is next to the top 8400 Memory Channel unit.
 - Handwritten "112" is next to the bottom 8400 Memory Channel unit.
- Bottom Section:**
 - A CISCO-4500 router connects to "To EMS" and "To Office".
 - A FireWall connects to the CISCO-4500 and the FDDI Ring.
 - 3com 10baseT switches connect to the FireWall and the FDDI Ring.
 - 3com FDDI interfaces connect to the FDDI Ring.
 - 8400 Memory Channel units connect to the FDDI Ring and Storage Works.
 - 8400 DEV units connect to the FDDI Ring and Storage Works.
 - SCSI Storage Tek Tape units connect to the FDDI Ring.
 - Handwritten "878" is at the bottom left.
- Other Components:**
 - WEB Servers connect to the 3com 10baseT switches.
 - Storage Works units connect to the 8400 Memory Channel and 8400 DEV units.

78




FIG. 79





Figure 1 - Basic UI Design

Energy eXchange®

Application Architecture






FIG. 82

MERCHANT & GOULD P.C.

United States Patent Application

COMBINED DECLARATION AND POWER OF ATTORNEY

As a below named inventor I hereby declare that: my residence, post office address and citizenship are as stated below next to my name; that

I verily believe I am the original, first and sole inventor (if only one name is listed below) or a joint inventor (if plural inventors are named below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: **METHOD AND SYSTEM FOR FACILITATING, COORDINATING AND MANAGING A COMPETITIVE MARKETPLACE**

The specification of which

- a. ☐ is attached hereto
- b. ☒ is entitled **METHOD AND SYSTEM FOR FACILITATING, COORDINATING AND MANAGING A COMPETITIVE MARKETPLACE**, having an attorney docket number **8567.72US01**.
- c. ☐ was filed on as application serial no. and was amended on (if applicable) (in the case of a PCT-filed application) described and claimed in international no. filed and as amended on (if any), which I have reviewed and for which I solicit a United States patent.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the patentability of this application in accordance with Title 37, Code of Federal Regulations, § 1.56 (attached hereto).

I hereby claim foreign priority benefits under Title 35, United States Code, § 119/365 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on the basis of which priority is claimed:

- a. ☒ no such applications have been filed.
- b. ☐ such applications have been filed as follows:

FOREIGN APPLICATION(S), IF ANY, CLAIMING PRIORITY UNDER 35 USC § 119			
COUNTRY	APPLICATION NUMBER	DATE OF FILING (day, month, year)	DATE OF ISSUE (day, month, year)
ALL FOREIGN APPLICATION(S), IF ANY, FILED BEFORE THE PRIORITY APPLICATION(S)			
COUNTRY	APPLICATION NUMBER	DATE OF FILING (day, month, year)	DATE OF ISSUE (day, month, year)

I hereby claim the benefit under Title 35, United States Code, § 120/365 of any United States and PCT international application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, § 1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application.

U.S. APPLICATION NUMBER	DATE OF FILING (day, month, year)	STATUS (patented, pending, abandoned)

I hereby claim the benefit under Title 35, United States Code § 119(e) of any United States provisional application(s) listed below:

U.S. PROVISIONAL APPLICATION NUMBER	DATE OF FILING (Day, Month, Year)

I hereby appoint the following attorney(s) and/or patent agent(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected herewith:

Albrecht, John W.	Reg. No. 40,481	Kowalchyk, Katherine M.	Reg. No. 36,848
Anderson, Gregg I.	Reg. No. 28,828	Lacy, Paul E.	Reg. No. 38,946
Ansems, Gregory M.	Reg. No. 42,264	Larson, James A.	Reg. No. 40,443
Batzli, Brian H.	Reg. No. 32,960	Liepa, Mara E.	Reg. No. 40,066
Beard, John L.	Reg. No. 27,612	Lindquist, Timothy A.	Reg. No. 40,701
Black, Bruce E.	Reg. No. 41,622	McDonald, Daniel W.	Reg. No. 32,044
Bruess, Steven C.	Reg. No. 34,130	McIntyre, Iain A.	Reg. No. 40,337
Byrne, Linda M.	Reg. No. 32,404	Mueller, Douglas P.	Reg. No. 30,300
Carlson, Alan G.	Reg. No. 25,959	Pauly, Daniel M.	Reg. No. 40,123
Caspers, Philip P.	Reg. No. 33,227	Phillips, John B.	Reg. No. 37,206
Chiapetta, James R.	Reg. No. 39,634	Plunkett, Theodore	Reg. No. 37,209
Clifford, John A.	Reg. No. 30,247	Pytel, Melissa J.	Reg. No. 41,512
Cochran, William W.	Reg. No. 26,652	Reich, John C.	Reg. No. 37,703
Daignault, Ronald A.	Reg. No. 25,968	Reiland, Earl D.	Reg. No. 25,767
Daley, Dennis R.	Reg. No. 34,994	Schmaltz, David G.	Reg. No. 39,828
Dalglish, Leslie E.	Reg. No. 40,579	Schuman, Mark D.	Reg. No. 31,197
Daulton, Julie R.	Reg. No. 36,414	Schumann, Michael D.	Reg. No. 30,422
DeVries Smith, Katherine M.	Reg. No. 42,157	Scull, Timothy B.	Reg. No. 42,137
DiPietro, Mark J.	Reg. No. 28,707	Sebald, Gregory A.	Reg. No. 33,280
Edell, Robert T.	Reg. No. 20,187	Skoog, Mark T.	Reg. No. 40,178
Epp Ryan, Sandra	Reg. No. 39,667	Soderberg, Richard	Reg. No. P-43,352
Glance, Robert J.	Reg. No. 40,620	Storer, Shelley D.	Reg. No. P-45,135
Goggin, Matthew J.	Reg. No. 44,125	Sumner, John P.	Reg. No. 29,114
Golla, Charles E.	Reg. No. 26,896	Sumners, John S.	Reg. No. 24,216
Gorman, Alan G.	Reg. No. 38,472	Swenson, Erik G.	Reg. No. P-45,147
Gould, John D.	Reg. No. 18,223	Tellekson, David K.	Reg. No. 32,314
Gregson, Richard	Reg. No. 41,804	Trembath, Jon R.	Reg. No. 38,344
Gresens, John J.	Reg. No. 33,112	Underhill, Albert L.	Reg. No. 27,403
Hamre, Curtis B.	Reg. No. 29,165	Vandenburgh, J. Derek	Reg. No. 32,179
Hillson, Randall A.	Reg. No. 31,838	Welter, Paul A.	Reg. No. 20,890
Holzer, Jr., Richard J.	Reg. No. 42,668	Wahl, John R.	Reg. No. 33,044
Johnston, Scott W.	Reg. No. 39,721	Whipps, Brian	Reg. No. 43,261
Kadievitch, Natalie D.	Reg. No. 34,196	Wickhem, J. Scot	Reg. No. 41,376
Kastelic, Joseph M.	Reg. No. 37,160	Williams, Douglas J.	Reg. No. 27,054
Kettelberger, Denise	Reg. No. 33,924	Witt, Jonelle	Reg. No. 41,980
Keys, Jeramie J.	Reg. No. 42,724	Xu, Min S.	Reg. No. 39,536
Knearl, Homer L.	Reg. No. 21,197	Zeuli, Anthony R.	Reg. No. P-45,255
Kowalchyk, Alan W.	Reg. No. 31,535		

I hereby authorize them to act and rely on instructions from and communicate directly with the person/assignee/attorney/firm/ organization who/which first sends/sent this case to them and by whom/which I hereby declare that I have consented after full disclosure to be represented unless/until I instruct Merchant & Gould P.C. to the contrary.

Please direct all correspondence in this case to Merchant & Gould P.C. at the address indicated below:

Merchant & Gould P.C.
3100 Norwest Center
90 South Seventh Street
Minneapolis, MN 55402-4131

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

201	2	Full Name Of Inventor	Family Name WINTER	First Given Name LARRY	Second Given Name A
	0	Residence & Citizenship	City	State or Foreign Country	Country of Citizenship
	1	Post Office Address	Post Office Address	City	State & Zip Code/Country
Signature of Inventor 201:				Date:	
202	2	Full Name Of Inventor	Family Name SHIELDS	First Given Name FRANCIS	Second Given Name X
	0	Residence & Citizenship	City	State or Foreign Country	Country of Citizenship
	2	Post Office Address	Post Office Address	City	State & Zip Code/Country
Signature of Inventor 202:				Date:	
203	2	Full Name Of Inventor	Family Name NORTHCUTT	First Given Name ROBERT	Second Given Name L
	0	Residence & Citizenship	City	State or Foreign Country	Country of Citizenship
	3	Post Office Address	Post Office Address	City	State & Zip Code/Country
Signature of Inventor 203:				Date:	

§ 1.56 Duty to disclose information material to patentability.

(a) A patent by its very nature is affected with a public interest. The public interest is best served, and the most effective patent examination occurs when, at the time an application is being examined, the Office is aware of and evaluates the teachings of all information material to patentability. Each individual associated with the filing and prosecution of a patent application has a duty of candor and good faith in dealing with the Office, which includes a duty to disclose to the Office all information known to that individual to be material to patentability as defined in this section. The duty to disclose information exists with respect to each pending claim until the claim is canceled or withdrawn from consideration, or the application becomes abandoned. Information material to the patentability of a claim that is canceled or withdrawn from consideration need not be submitted if the information is not material to the patentability of any claim remaining under consideration in the application. There is no duty to submit information which is not material to the patentability of any existing claim. The duty to disclose all information known to be material to patentability is deemed to be satisfied if all information known to be material to patentability of any claim issued in a patent was cited by the Office or submitted to the Office in the manner prescribed by §§ 1.97(b)–(d) and 1.98. However, no patent will be granted on an application in connection with which fraud on the Office was practiced or attempted or the duty of disclosure was violated through bad faith or intentional misconduct. The Office encourages applicants to carefully examine:

- (1) prior art cited in search reports of a foreign patent office in a counterpart application, and
- (2) the closest information over which individuals associated with the filing or prosecution of a patent application believe any pending claim patentably defines, to make sure that any material information contained therein is disclosed to the Office.

(b) Under this section, information is material to patentability when it is not cumulative to information already of record or being made of record in the application, and

- (1) It establishes, by itself or in combination with other information, a prima facie case of unpatentability of a claim;
- (2) It refutes, or is inconsistent with, a position the applicant takes in:
 - (i) Opposing an argument of unpatentability relied on by the Office, or
 - (ii) Asserting an argument of patentability.

A prima facie case of unpatentability is established when the information compels a conclusion that a claim is unpatentable under the preponderance of evidence, burden-of-proof standard, giving each term in the claim its broadest reasonable construction consistent with the specification, and before any consideration is given to evidence which may be submitted in an attempt to establish a contrary conclusion of patentability.

(c) Individuals associated with the filing or prosecution of a patent application within the meaning of this section are:

- (1) Each inventor named in the application;
- (2) Each attorney or agent who prepares or prosecutes the application; and
- (3) Every other person who is substantively involved in the preparation or prosecution of the application and who is associated with the inventor, with the assignee or with anyone to whom there is an obligation to assign the application.

(d) Individuals other than the attorney, agent or inventor may comply with this section by disclosing information to the attorney, agent, or inventor.